

# ***DESIGNED FOR THE FUTURE***

PROFESSIONAL EQUIPMENT FOR HOTELS AND RESTAURANTS



# THE NUMBER ONE CHOICE

## Welcome to Dometic!

Whether it's a family-run Bed & Breakfast or the world's first 7-star hotel, the hospitality industry trusts us to deliver high-quality solutions for enhanced guest satisfaction. Today you can find millions of Dometic minibars, room safes and wine coolers in hotels of all star categories across the world – something we are very proud of. The best products are now here for you to explore. Welcome to our new catalog – enjoy browsing and let us know what we can do for you.






# MINIBARS

Choose from our comprehensive range of minibars. Find the solution to suit the requirements of your guests the style of your interior.

PAGE 06 – 27



# SAFES

Enhance the well-being of your guests by giving them the peace of mind that their valuables are safely stored.


PAGE 28 – 39



# WINE REFRIGERATOR

Full range of NEW Wine Refrigerators.


PAGE 40 – 51



# MOBAR

The NEW innovative mobile bar.

PAGE 52 – 55



# RESTAURANT & CATERING

Food delivery solutions.

PAGE 56 – 61

## MINIBARS

Dometic minibars intro	14 – 19
New HiPro minibars	20 – 21
Drawer minibars	22 – 23
Glass Door Line	24
Classic Line	25
HiPro 6000 minibar	26 – 27
Silencio Food Line	28 – 29
New HiPro exchange guide	

## SAFES

Dometic safes intro	30 – 33
Dometic Premium Class	34 – 37
Dometic Standard Class	38 – 41

## WINE REFRIGERATOR

New Design Range	42 – 53
------------------	---------

## MOBAR

New MoBar	54 – 57
-----------	---------

## RESTAURANT & CATERING

Delivery boxes intro	58
Cool boxes	59 – 61
New delivery box	62 – 63

## DOMETIC ON THE WEB

Here's where you can find the complete Dometic range, with detailed information about all products. Plus, interesting facts about our company and download links for all our catalogs.

DOMETIC.COM





# MINI BARS





**GIVE YOUR GUESTS AN UNFORGETTABLE STAY**

You will find more Dometic minibars and safes than any other make in first-class hotels across the world. Why? Know-how accumulated over 50 years, a track record of innovation as well as leading design solutions are the three main reasons.

The top of the line new HiPro Evolution and Alpha range minibars are developed with your business experience in mind. A sustainable minibar is a smart minibar. The new HiPro Evolution range is just that. Boasting precise temperature control, world-class efficiency and the best minibar cooling capacity, the premium Dometic HiPro range ensures chromate-free absorption technology checks in for a clean, sustainable future in your hotel.

Our modern and energy-efficient range of noiseless drawer minibars (Dometic DM 20 drawer minibar).



**New Dometic HiPro minibars**  
The world’s best minibars

The state-of-the-art design of Dometic HiPro will help you create a premium in-room feeling. With sleek design, elegant illumination and crystal clear doors, invite your guests to treat themselves to something special.

**Sustainability checking in**

Sustainability means doing more with less. It’s a philosophy we put into action with outstanding energy efficiency and the first chromate free minibar range on the market. A sustainable minibar is a smart minibar. The all new HiPro range delivers more powerful cooling with up to 40% less energy consumption, making a visible difference OPEX for hotel owners.

**Read more on this on p. 12**



**Dometic drawer minibars**  
Unique design, outstanding construction

Our drawer minibars are a class of their own in terms of design, size and functionality. Noiseless cooling, convenient slide-out access.

**Read more on this on p. 20**





# DOMETIC MINIBARS

ALWAYS AT YOUR SERVICE

Premium can't be measured. It's all about the first impression, elegant design, and the silence that your guests appreciate. What can be measured is efficiency. With improved cooling performance and up to 40 % lower energy consumption, it's clear to see why the HiPro

range is considered the world's best minibar. After more than 50 years in the hotel business and 6 million installed units, we're proud to say that we're pioneering the hotel industry. Again.

1. COST REDUCTION

The new HiPro offers best-in-class energy efficiency – no matter which cooling technology is used.

2. SUSTAINABILITY

We work hard to achieve even lower footprints within manufacturing as well as energy consumption.

PIONEERING  
THE HOTEL INDUSTRY.  
AGAIN.

We believe in sustainable  
innovation for a better  
guest experience.

3. GUEST EXPERIENCE

HiPro will not only deliver premium cooling performance – it is also an attractive and sales promoting feature in the guest room.

4. STRONG PARTNERSHIP

After more than 50 years in the hotel business we have a strong promise to ensure care free maintenance.

## SUSTAINABLE MINIBARS FOR A CLEAN FUTURE

Chromate has been the established industry standard corrosion inhibitor used in the production of absorption minibars for decades. Current EU legislation, however, stipulates the phase-out of this substance latest during 2021 for import to Europe and from January 2020 for European production.

Does that mean an end to the noiseless and wear-resistant absorption cooling technology? No, it doesn't. After more than two decades of intensive research and development, we are now in the unique position to offer a sustainable alternative. The new inhibitor has been thoroughly in situ tested for over ten years and is now ready to substitute chromate in our minibar factory in Jaszbereny, Hungary. The challenge was to find an environmentally sound substance that would have the same anticorrosive effect as the well proven chromate.

- Chromate-free inhibitor means environmental and health protection for production worker, customer and user.
- All our cooling technologies (absorption, noiseless thermoelectric and compressor) meet the most ambitious Energy Efficiency Index.
- Dometic products are fulfilling the new ErP legislation applicable from March 2021 (EU 2019/2016)
- Resource efficiency during the entire life cycle.



## AT HOME IN THOUSANDS OF HOTELS

Over the last 40 years, Dometic has supplied minibars to hotels and cruise lines around the world. Today, we are the market leader. In addition to cooling solutions, we provide a range of tough and reliable safes.

Dometic is the world's leading supplier of minibars to the hotel industry. And it is not only the most luxurious hotels in the world that come knocking on our door but also hotels of every star rating. For the past 50 years, there have been more than 6 million minibars manufactured by Dometic installed in hotel rooms around the world.







# WE DEVELOPED HIPRO WITH HOTEL GUESTS IN MIND

A well-stocked minibar is an expected and appreciated hotel room feature for well-traveled hotel guests. Let's have a deeper look at some outstanding features we offer to the market with the all-new HiPro minibar generation:



**Lower energy consumption**  
Dometic's new HiPro range will reduce energy consumption by up to 40%.



**Premium guest experience**  
New HiPro will be an attractive and sales-promoting feature in the guest room.



**Improved cooling power**  
Improved cooling capabilities with updated and optimized functionality.



**A strong partner**  
With more than 50 years of experience and more than 6 million installed units; we are a proven partner.





A sustainable minibar is a smart minibar. The new HiPro range is just that. It's also more efficient with improved cooling and up to 40% less energy consumption. Add to that the first chromate-free absorption inhibitor on the market and sustainability is an easy choice. After more than 50 years in the hotel business and 6 million installed units, we're proud to say that we're pioneering the hotel industry. Again.



N40G



**Aluminium handle**  
Stylish aluminium handle for all Evolution models.



**Control panel**  
Easy to use control panel with status LED .



**Door racks**  
Included in all type of doors, also for the transparent doors

HIPRO LINE TECHNICAL DATA				
	F	G	F	G
MODEL	EVOLUTION N30S	EVOLUTION A30S	EVOLUTION N40S	EVOLUTION A40S
Cooling technology	Thermoelectric	Absorption	Thermoelectric	Absorption
Model class (liter)	30	30	40	40
Storage volume (liter)	26	26	33	33
Door type	Stainless steel door	Stainless steel door	Stainless steel door	Stainless steel door
Product dimensions (H×W×D, mm)	520/384/415	520/384/446	550/405/435	550/405/466
Can be built-in/integrated	With ventilation	With ventilation	With ventilation	With ventilation
Variable sliding hinge	Yes	Yes	Yes	Yes
Variable door hinge	Yes	Yes	Yes	Yes
LED interior light	Ambient top + bottom	Ambient top + bottom	Ambient top + bottom	Ambient top + bottom
Input rating (W)	55	60–70	55	60–70
Energy consumption (kWh/24 h)	0.259	0.535	0.262	0.576
Noise level (dB[A])	0	0	0	0
Energy class	F	G	F	G
Features	<ul style="list-style-type: none"><li>Noiseless</li><li>Low energy consumption</li><li>Ambient illumination</li><li>1 x door rack with decorative trim</li><li>1 x tempered glass shelf</li><li>Adjustable shelf</li><li>Aluminium handle</li><li>Decorative panel on evaporator</li></ul>	<ul style="list-style-type: none"><li>Noiseless</li><li>Low energy consumption</li><li>Ambient illumination</li><li>1 x door rack with decorative trim</li><li>1 x tempered glass shelf</li><li>Aluminium handle</li><li>Adjustable shelf</li><li>Decorative panel on evaporator</li><li>Long lasting technology</li></ul>	<ul style="list-style-type: none"><li>Noiseless</li><li>Low energy consumption</li><li>Ambient illumination</li><li>2 x door rack with decorative trim</li><li>2 x tempered glass shelf</li><li>Adjustable shelf</li><li>Aluminium handle</li><li>Decorative panel on evaporator</li></ul>	<ul style="list-style-type: none"><li>Noiseless</li><li>Low energy consumption</li><li>Ambient illumination</li><li>2 x door rack with decorative trim</li><li>2 x tempered glass shelf</li><li>Aluminium handle</li><li>Adjustable shelf</li><li>Decorative panel on evaporator</li><li>Long lasting technology</li></ul>
Options	Key lock	Key lock	Key lock	Key lock



EVOLUTION N30S



EVOLUTION A30S



EVOLUTION N40S



EVOLUTION A40S

See the replacement guide on p. 28 and 29 which new HiPro can replace your existing minibar.




HIPRO LINE TECHNICAL DATA		
		
MODEL	EVOLUTION N30P	EVOLUTION N40P
Cooling technology	Thermoelectric	Thermoelectric
Model class (liter)	30	40
Storage volume (liter)	26	33
Door type	Mirror panel door	Mirror panel door
Product dimensions (H×W×D, mm)	520/384/415	550/405/435
Can be built-in/integrated	With ventilation	With ventilation
Variable sliding hinge	No	No
Variable door hinge	Yes	Yes
LED interior light	Ambient top + bottom	Ambient top + bottom
Input rating (W)	55	55
Energy consumption (kWh/24 h)	0.259	0.262
Noise level (dB[A])	0	0
Energy class	F	F
Features	<ul style="list-style-type: none"><li>Noiseless</li><li>Low energy consumption</li><li>Ambient illumination</li><li>1 x door rack with decorative trim</li><li>1 x tempered glass shelf</li><li>Adjustable shelf</li><li>Aluminium handle</li><li>Decorative panel on evaporator</li></ul>	<ul style="list-style-type: none"><li>Noiseless</li><li>Low energy consumption</li><li>Ambient illumination</li><li>2 x door rack with decorative trim</li><li>2 x tempered glass shelf</li><li>Adjustable shelf</li><li>Aluminium handle</li><li>Decorative panel on evaporator</li></ul>
Options	Key lock	Key lock



EVOLUTION N30P



EVOLUTION N40P

HIPRO LINE TECHNICAL DATA				
				
MODEL	EVOLUTION N30G	EVOLUTION A30G	EVOLUTION N40G	EVOLUTION A40G
Cooling technology	Thermoelectric	Absorption	Thermoelectric	Absorption
Model class (liter)	30	30	40	40
Storage volume (liter)	26	26	33	33
Door type	Transparent glass door	Transparent glass door	Transparent glass door	Transparent glass door
Product dimensions (H×W×D, mm)	520/384/415	520/384/446	550/405/435	550/405/466
Can be built-in/integrated	With ventilation	With ventilation	With ventilation	With ventilation
Variable sliding hinge	No	No	No	No
Variable door hinge	Yes	Yes	Yes	Yes
LED interior light	Ambient top + bottom	Ambient top + bottom	Ambient top + bottom	Ambient top + bottom
Input rating (W)	55	60–70	55	60–70
Energy consumption (kWh/24 h)	0.426	0.704	0.435	0.727
Noise level (dB[A])	0	0	0	0
Energy class	G	G	G	G
Features	<ul style="list-style-type: none"><li>Noiseless</li><li>Low energy consumption</li><li>Ambient illumination</li><li>1 x door rack with decorative trim</li><li>1 x tempered glass shelf</li><li>Aluminium handle</li><li>Adjustable shelf</li><li>Decorative panel on evaporator</li></ul>	<ul style="list-style-type: none"><li>Noiseless</li><li>Ambient illumination</li><li>1 x door rack with decorative trim</li><li>1 x tempered glass shelf</li><li>Aluminium handle</li><li>Adjustable shelf</li><li>Decorative panel on evaporator</li><li>Long lasting technology</li></ul>	<ul style="list-style-type: none"><li>Noiseless</li><li>Low energy consumption</li><li>Ambient illumination</li><li>2 x door rack with decorative trim</li><li>2 x tempered glass shelf</li><li>Adjustable shelf</li><li>Aluminium handle</li><li>Decorative panel on evaporator</li></ul>	<ul style="list-style-type: none"><li>Noiseless</li><li>Ambient illumination</li><li>2 x door rack with decorative trim</li><li>2 x tempered glass shelf</li><li>Aluminium handle</li><li>Decorative panel on evaporator</li><li>Long lasting technology</li></ul>
Options	Key lock	Key lock	Key lock	Key lock



EVOLUTION N30G



EVOLUTION A30G



EVOLUTION N40G



EVOLUTION A40G

See the replacement guide on p. 28 and 29 which new HiPro can replace your existing minibar.





Many business travellers are constantly on the move living a suitcase life. Most days represent hard work with long hours – arriving late to the room preparing for the next day’s meeting while burning the midnight oil. That’s why the minibar is a much-appreciated feature offering cold beverages and energizing snacks. For the leisure tourist, the hotel minibar is an opportunity to enjoy a cold beverage at the late arrival check-in, after a long city excursion and while getting ready for a fun night out – or perhaps waking up with a need to quench the thirst.



N30S



**Black handle**  
Luxury black handle for all Alpha models



**Plastic door racks**  
Adjustable transparent door racks



**Control panel**  
Easy to use control panel with status LED .

					
HIPRO LINE TECHNICAL DATA					
MODEL	ALPHA N30S	ALPHA A30S	ALPHA N40S	ALPHA A40S	ALPHA C40S
Cooling technology	Thermoelectric	Absorption	Thermoelectric	Absorption	Compressor
Model class (liter)	30	30	40	40	40
Storage volume (liter)	26	26	33	33	33
Door type	Metal sheet door	Metal sheet door	Metal sheet door	Metal sheet door	Metal sheet door
Product dimensions (H×W×D, mm)	520/384/415	520/384/446	550/405/435	550/405/466	550/405/481
Can be built-in/integrated	With ventilation	With ventilation	With ventilation	With ventilation	With ventilation
Variable sliding hinge	Yes	Yes	Yes	Yes	Yes
Variable door hinge	Yes	Yes	Yes	Yes	Yes
LED interior light	LED top light	LED top light	LED top light	LED top light	LED top light
Input rating (W)	55	60–70	55	60–70	45
Energy consumption (kWh/24 h)	0.259	0.535	0.262	0.576	0.130
Noise level (dB[A])	0	0	0	0	33
Energy class	F	G	F	G	C
Features	<ul style="list-style-type: none"><li>Noiseless</li><li>Low energy consumption</li><li>1 x door rack</li><li>1 x plastic shelf</li><li>Adjustable shelf</li></ul>	<ul style="list-style-type: none"><li>Noiseless</li><li>1 x door rack</li><li>1 x plastic shelf</li><li>Adjustable shelf</li><li>Long lasting technology</li></ul>	<ul style="list-style-type: none"><li>Noiseless</li><li>Low energy consumption</li><li>2 x door rack</li><li>1 x plastic shelf</li><li>Adjustable shelf</li></ul>	<ul style="list-style-type: none"><li>Noiseless</li><li>2 x door rack</li><li>1 x plastic shelf</li><li>Adjustable shelf</li><li>Long lasting technology</li></ul>	<ul style="list-style-type: none"><li>High performance</li><li>Lowest energy consumption</li><li>Integrated silent mode</li><li>2 x door rack</li><li>1 x plastic shelf</li><li>Adjustable shelf</li></ul>
Options	Key lock	Key lock	Key lock	Key lock	Key lock



ALPHA N30S



ALPHA A30S



ALPHA N40S



ALPHA A40S



ALPHA C40S

See the replacement guide on p. 28 and 29 which new HiPro can replace your existing minibar.







Convenient slide-out access, noiseless operation, low energy consumption: Dometic drawer minibars set new standards in design and efficiency. Dometic DM 20 is the world’s first noiseless 20-liter class drawer minibar. Having the same width as conventional 30-liter absorption minibars, it will easily replace them. Dometic DM 50 provides 50 liters capacity in an award-winning design featuring an automatic slide-out tray for snacks and mini bottles and an adjustable drawer for bottles and cans.

- Unique design for convenient slide-out access
- Thermoelectric cooling unit for low energy consumption
- Noiseless cooling comfort
- Patented and design awarded technology



DM 20 D



		
TECHNICAL DATA		
MODEL	DM 20 D/F	DM 50 NTE D/F
Model class (liter)	20	50
Storage volume (liter)	15.8	45
Cabinet colors	Anthracite	Anthracite
Dimensions built-in version (H x W x D, in mm)	DM 20 D: 365 x 384 x 428 DM 20 F: 365 x 384 x 398	DM 50 NTE D: 418 x 550 x 517 DM 50 NTE F: 418 x 550 x 487
Can be built-in/integrated	●	●
LED interior light	●	●
Input rating (W)	52	75
Energy consumption (kWh/24 h)	0.20	0.25
Noise level (dB[A])	0	0
Features	<ul style="list-style-type: none"><li>• Highly flexibel system of dividers and bottle fingers</li><li>• DM 20 D: with a decorative anthracite panel and handle</li><li>• DM 20 F: prepared for a decor panel to match the furniture design of the room</li></ul>	<ul style="list-style-type: none"><li>• Highly flexibel system of dividers and bottle fingers</li><li>• DM 50 D: with a decorative anthracite panel and handle</li><li>• DM 50 F: prepared for a decor panel to match the furniture design of the room</li></ul>
Options	<ul style="list-style-type: none"><li>• Lock</li></ul>	<ul style="list-style-type: none"><li>• Lock</li></ul>



Perfect workmanship – removeable and smooth running sliding rails for convenient use.



LED interior light – nicely features the snacks and beverages inside.



Simply slides out and self closing drawer provides easy access to the contents.



D Version



F Version

**D models with Dometic front panel – F models with a front panel of your choice**

**D Version:** Door with anthracite grey Dometic front panel and handle

**F Version:** Door with plain front allowing the designer and furniture manufacturer to complete the door finish with a custom front panel based on our specifications (dimensions/ thickness/weight)





Available in 20 liter – this glass door model offer plenty of room for an appealing product presentation with potential for profit. Full frame glass door supports consumption for increased turnover.



RH 418 NTEG





Highly flexible shelving system.



The minibar can optionally be equipped with a handle. (RH 429 LDAG).



Easy to change from right to left hand hinge.

TECHNICAL DATA		
MODEL	RH 418 NTEG	RH 429 LDAG
Model class (liter)	20	20
Storage volume (liter)	18	18
Cabinet color	Anthracite	Anthracite
Dimensions built-in version (H×W×D, mm)	435 × 422 × 350	435 × 422 × 384
Can be built-in/integrated	●	●
Variable door hinge	●	●
LED interior light	●	●
Input rating (W)	65	75
Energy consumption (kWh/24 h)	0.222	0.74
Noise level (dB[A])	0	0
Features	<ul style="list-style-type: none"><li>• 1 adjustable metal shelf with recess for tall bottles</li><li>• Glass door with aluminium frame</li></ul>	<ul style="list-style-type: none"><li>• 1 adjustable metal shelf with recess for tall bottles</li><li>• Glass door with aluminium frame</li></ul>
Options	<ul style="list-style-type: none"><li>• LED door opening control</li><li>• Temperature setting by remote control</li><li>• Door handle</li><li>• Lock</li></ul>	<ul style="list-style-type: none"><li>• LED door opening control</li><li>• Temperature setting by remote control</li><li>• Also available as stand-alone model (FS version)</li><li>• Door handle</li><li>• Lock</li></ul>



RH 418 NTEG



RH 429 LDAG





# CLASSIC LINE MINIBARS

## ENERGY EFFICIENCY MADE EASY

Energy-saving made easy. Our Classic Line models bring cooling comfort to hotels and residences. Equipped with innovative and energy-efficient absorption cooling technology, Classic Line minibars combine silent service and maintenance-free convenience with added value. All models feature energy-efficient Fuzzy Logic temperature regulation, automatic defrost and well proven Dometic design, inside and out.

- Perfectly silent cooling technology won’t disturb guests
- Highly flexible door racks and shelves to present a wide selection of minibar items
- Fully-automatic defrosting for maximum comfort

		
TECHNICAL DATA		
MODEL	RH 418 NTE	RH 423 LDA
Model class (liter)	20	20
Storage volume (liter)	18	23
Cabinet color	Anthracite	Anthracite
Dimensions built-in version (H×W×D, mm)	435×422×350	435×422×384
Can be built-in/ integrated	●	●
Sliding hinge	●	●
Variable door hinge	●	●
LED interior light	●	●
Input rating (W)	65	65
Energy consumption (kWh/24 h)	0.222	0.63
Noise level (dB[A])	0	0
Features	<ul style="list-style-type: none"><li>• 1 door rack for smaller bottles</li><li>• 1 adjustable metal shelf with recess for tall bottles</li></ul>	<ul style="list-style-type: none"><li>• 1 door rack for smaller bottles</li><li>• 1 adjustable metal shelf with recess for tall bottles</li></ul>
Options	<ul style="list-style-type: none"><li>• LED door opening control</li><li>• Temperature setting by remote control</li><li>• Sliding hinge</li><li>• Lock</li></ul>	<ul style="list-style-type: none"><li>• LED door opening control</li><li>• Temperature setting by remote control</li><li>• Also available as stand-alone model (FS version)</li><li>• Lock</li></ul>



RH 418 NTE



RH 423 LDA

# HIPRO 6000 MINIBAR

## 60 LITER MINIBAR

Dometic HiPro has redefined the standards for pioneering minibar design – the result of over decades of consistent development. With the aim of maximum customer satisfaction, we have scrutinised all the requirements of comfort and technology in detail. The result will impress you.

HiPro minibar is distinctive due to their contemporary design and a whole host of innovative technical detail solutions that are so unique that we have grouped them together under the name HiPro technology.

HiPro technology stands for a quality dimension which only Dometic can offer you.

Totally  
noiseless  
absorption  
cooling



TECHNICAL DATA	
MODEL	HIPRO 6000
Model class (liter)	60
Storage volume (liter)	48
Cabinet color	Anthracite
Dimensions built-in version (H×W×D, mm)	568×490×475
Can be built-in/integrated	●
Variable sliding hinge	●
Variable door hinge	●
LED interior light	●
Input rating (W)	80
Energy consumption (kWh/24 h)	0.66
Noise level (dB[A])	0
Model versions	Basic, Standard
Features	<p><b>HiPro Basic</b></p> <ul style="list-style-type: none"><li>• 2 long shelves</li><li>• Flat inner door</li><li>• Integrated door handle</li></ul> <p><b>HiPro Standard</b></p> <ul style="list-style-type: none"><li>• 2 short shelves</li><li>• Inner door with 2 multifunctional racks (one for large bottles and one for small)</li><li>• Inner door in the “bottle body” design for 1.5-liter bottles</li><li>• Integrated door handle</li></ul>
Options	<ul style="list-style-type: none"><li>• Lock</li><li>• Decorative panel</li><li>• LED door opening control display</li><li>• Infra-red remote control</li></ul>



HiPro Basic



HiPro Standard

- Modular system of shelves and door racks
- Low energy consumption for noiseless absorption minibars
- Setup diagnosis via LED
- Sensor-controlled LED interior light
- LED door opening control display (optional)
- Temperature setting by remote control
- Clip & Click: door hinge can be changed without tools
- Automatic Defrost





When there is no room for an ordinary refrigerator, a Food Line mini fridge can be a great advantage. Widely used in hospitals, nursing homes and offices all over the world, these smart products have now arrived in our hotel collection. And for good reason too:

Food Line mini fridges provide silent cooling comfort without compromise. As the only cooling appliances in their class, they are also suitable for storing fresh food. Ideal for Bed&Breakfast inns, guesthouses and smaller hotels:

## THE DOMETIC FOOD LINE MINI FRIDGE

Unique worldwide. No other noiseless refrigerator reaches an interior temperature of 4°C at up to an ambient temperature of 32°C.


### Ideal for:

- Nursing homes
- Hospitals
- Offices/meeting rooms
- At home as an additional refrigerator in the bedroom, living room or children’s room
- Student homes/apartments



TECHNICAL DATA				
MODEL	DS 200 FS/BI	DS 300 FS/BI	DS 400 FS/BI	DS 600 FS/BI
Model class (liter)	20	30	40	60
Storage volume (liter)	21	27	32	43
Cabinet color	Black or white	Black or white	Black or white	Black or white
Dimensions FS* (H×W×D, mm)	495×422×393	580×422×393	580×422×450	592×486×494
Dimensions built-in version** (H×W×D, mm)	455×422×383	540×422×383	540×422×440	552×486×484
Can be built-in/integrated	●	●	●	●
Variable door hinge	●	●	●	●
LED interior light	●	●	●	●
Input rating (W)	65	65	65	65
Energy consumption (kWh/24 h)	0.74	0.76	0.76	0.77
Noise level (dB[A])	0	0	0	0
Features	<ul style="list-style-type: none"><li>• Adjustable plastic shelf with recess for tall bottles</li><li>• Flat inner door</li><li>• Handle (FS)</li></ul>	<ul style="list-style-type: none"><li>• 2 adjustable plastic shelves with recess for tall bottles</li><li>• Flat inner door</li></ul>	<ul style="list-style-type: none"><li>• 2 adjustable plastic shelves</li><li>• 3 adjustable door racks</li></ul>	<ul style="list-style-type: none"><li>• 2 adjustable plastic shelves</li><li>• 3 adjustable door racks</li></ul>
Options	<ul style="list-style-type: none"><li>• Sliding hinge</li><li>• Lock</li></ul>	<ul style="list-style-type: none"><li>• Sliding hinge</li><li>• Lock</li></ul>	<ul style="list-style-type: none"><li>• Sliding hinge</li><li>• Lock</li></ul>	<ul style="list-style-type: none"><li>• Sliding hinge</li><li>• Lock</li></ul>

\*FS version: with foot frame, door decor panel and back cover, \*\* BI version: for fully-integrated installation (with sliding hinge, without exterior ABS plastic cabinet, door panel and foot frame)



### EASY CUSTOMIZING WITH BI MODELS

Designed for built-in use: BI mini fridges are delivered with a sliding hinge to be fastened to the furniture door to compensate for the differing turning points between the furniture and fridge door. That means the refrigerators can be easily fitted with a front panel to suit your interior design concept.



# NEW HIPRO REPLACEMENT GUIDE

WHICH NEW HIPRO MINIBAR CAN REPLACE YOUR OLD MINIBAR

OLD MODEL	PRODUCT DIMENSIONS (H X W X D IN MM)	COOLING TECHNOLOGY	NEW MODEL	PRODUCT DIMENSIONS (H X W X D IN MM)	COOLING TECHNOLOGY
HiPro 3000	527 x 388 x 418	Absorption	HiPro Evolution A30S	520 x 384 x 446	Absorption
			Alternative:		
			HiPro Evolution N30S	520 x 384 x 415	NTE
			HiPro Evolution N30P	520 x 384 x 415	NTE
HiPro 4000	559 x 405 x 452	Absorption	HiPro Evolution A40S	550 x 405 x 466	Absorption
			Alternative:		
			HiPro Evolution N40S	550 x 405 x 435	NTE
			HiPro Evolution N40P	550 x 405 x 435	NTE
RH 439	522 x 380 x 434	Absorption	HiPro Evolution A30S	520 x 384 x 446	Absorption
			Alternative:		
			HiPro Evolution N30S	520 x 384 x 415	NTE
			HiPro Evolution N30P	520 x 384 x 415	NTE
RH 449	580 x 422 x 440	Absorption	HiPro Evolution A40S	550 x 405 x 466	Absorption
			Alternative:		
			HiPro Evolution N40S	550 x 405 x 435	NTE
			HiPro Evolution N40P	550 x 405 x 435	NTE
RH 548	554 x 401 x 446	Absorption	HiPro Evolution A40S	550 x 405 x 466	Absorption
			Alternative:		
			HiPro Evolution N40S	550 x 405 x 435	NTE
			HiPro Evolution N40P	550 x 405 x 435	NTE
RH 131	524 x 380 x 445	Absorption	HiPro Alpha A30S	520 x 384 x 446	Absorption
			HiPro Evolution A30S	520 x 384 x 446	Absorption
			Alternative:		
			HiPro Alpha N30S	520 x 384 x 415	NTE
			HiPro Evolution N30S	520 x 384 x 415	NTE
			HiPro Evolution N30P	520 x 384 x 415	NTE
RH 141	554 x 422 x 451	Absorption	HiPro Alpha A40S	550 x 405 x 466	Absorption
			HiPro Evolution A40S	550 x 405 x 466	Absorption
			Alternative:		
			HiPro Alpha N40S	550 x 405 x 435	NTE
			HiPro Evolution N40S	550 x 405 x 435	NTE
			HiPro Evolution N40P	550 x 405 x 435	NTE
RH 430 LD	522 x 384 x 410	Absorption	HiPro Alpha A30S	520 x 384 x 446	Absorption
			HiPro Evolution A30S	520 x 384 x 446	Absorption
			Alternative:		
			HiPro Alpha N30S	520 x 384 x 415	NTE
			HiPro Evolution N30S	520 x 384 x 415	NTE
			HiPro Evolution N30P	520 x 384 x 415	NTE

OLD MODEL	PRODUCT DIMENSIONS (H X W X D IN MM)	COOLING TECHNOLOGY	NEW MODEL	PRODUCT DIMENSIONS (H X W X D IN MM)	COOLING TECHNOLOGY
RH 440 LD	554 x 401 x 446	Absorption	HiPro Alpha A40S	550 x 405 x 466	Absorption
			HiPro Evolution A40S	550 x 405 x 466	Absorption
			Alternative:		
			HiPro Alpha N40S	550 x 405 x 435	NTE
			HiPro Evolution N40S	550 x 405 x 435	NTE
			HiPro Evolution N40P	550 x 405 x 435	NTE
RH 430 NTE	522 x 384 x 395	NTE	HiPro Alpha N30S	520 x 384 x 415	NTE
			HiPro Evolution N30S	520 x 384 x 415	NTE
			Alternative:		
			HiPro Evolution N30P	520 x 384 x 415	NTE
			HiPro Alpha A30S	520 x 384 x 446	Absorption
			HiPro Evolution A30S	520 x 384 x 446	Absorption
RH 440 NTE	554 x 401 x 425	NTE	HiPro Alpha N40S	550 x 405 x 435	NTE
			HiPro Evolution N40S	550 x 405 x 435	NTE
			Alternative:		
			HiPro Evolution N40P	550 x 405 x 435	NTE
			HiPro Alpha A40S	550 x 405 x 466	Absorption
			HiPro Evolution A40S	550 x 405 x 466	Absorption
CL 440 LDC	554 x 401 x 440	Compressor	Hipro Alpha C40S	550 x 405 x 481	Compressor
			Hipro Evolution C40S	550 x 405 x 481	Compressor
HiPro Vision (Glass Door)	559 x 405 x 465	Absorption	HiPro Evolution A40G	550 x 405 x 466	Absorption
			Alternative:		
RH 439 LDAG (Glass Door)	522 x 380 x 434	Absorption	HiPro Evolution N40G	550 x 405 x 435	Thermo elektric
			HiPro Evolution A30G	520 x 384 x 446	Absorption
RH 439 LDAG (Glass Door)	522 x 380 x 434	Absorption	Alternative:		
			HiPro Evolution N30G	520 x 384 x 415	NTE
			HiPro Evolution A40G	550 x 405 x 466	Absorption
RH 449 LDAG (Glass Door)	552 x 422 x 439	Absorption	Alternative:		
			HiPro Evolution N40G	550 x 405 x 435	NTE
			HiPro Evolution A30G	520 x 384 x 446	Absorption
RH 430 LG (Glass Door)	522 x 384 x 420	Absorption	Alternative:		
			HiPro Evolution N30G	520 x 384 x 415	NTE
			HiPro Evolution A40G	550 x 405 x 466	Absorption
RH 440 LG (Glass Door)	554 x 401 x 456	Absorption	Alternative:		
			HiPro Evolution N40G	550 x 405 x 435	NTE
CL 440 LGC (Glass Door)	554 x 401 x 450	Compressor	Hipro Alpha C40G	550 x 405 x 481	Compressor
			Hipro Evolution C40G	550 x 405 x 481	Compressor









# FROM STANDARD TO PREMIUM

## THE RANGE OF DOMETIC PROSAFE MODELS

Security is an essential requirement for hotel guests, and one of the main reasons for choosing or discarding a destination and a hotel. The Dometic GROUP, aware of this, is always developing and improving all of its products in order to meet the needs of customers.

The latest product innovation Dometic has launched is a proSafe range which goes one step further in terms of design, functionality, technology and security. This proSafe range has a very modern design with a color display, an illuminated keypad, the latest anti-tampering system and a new website platform which offers the possibility to

operate the safe with the strictest security. The elegant cabinets of the new proSafe generation have rounded corners and edges for enhanced safety. Contemporary design

- Master key
- LED interior light
- iAudit system – unique in the industry
- Remote Emergency Opening System (REOS 2.0) – ultimate security and user comfort
- Battery level check



### Premium Class

Excellence in form and function: Dometic innovations like iAudit tracking and the REOS Remote Emergency Opening System ensure security on all levels.



### Standard Class

High security level combined with easy operation for perfect comfort and convenience.

## PRODUCT FINDER – THE QUICK WAY TO FIND THE RIGHT PRODUCT

### Laser-cut door

Our doors are precisely cut and crafted by a laser beam. This allows us to achieve 100% accuracy in dimensions and an extremely small clearance between the door and casing, making the door impossible to pry open.

### Anti-Tamper system

With the anti-tampering system, Dometic offers a unique security feature for their models. All anti-tampering manipulation attempts are recorded in the electronic of the safe and can be tracked back at any time.

### REOS code

REOS stands for Dometic's Remote Emergency Opening System. The emergency-opening system from Dometic is based on an innovative encoding system. The unique solution combines advanced electronics with state-of-the-art online technology to allow simple yet highly secure emergency opening by authorised hotel staff.

### Premium iAudit

All operations effected on a safe must be documented – for your own security and for your insurance provider. This is where

Dometic's Premium iAudit system offers a truly convenient solution: the integrated microchip provides storage capacity for the last 1,000 events.

### SAM

The unique Dometic safe management system (SAM) allows for iAudit Trail and one time emergency code generation (REOS) from a user friendly but PIN secured internet based software tool.

● Yes / – No / ○ Optional

WHAT'S IMPORTANT TO YOU?	PREMIUM CLASS	STANDARD CLASS
Easy operation	●	●
Motorised opening	●	●
LED interior light	●	●
LED display	●	●
Emergency opening with master key	●	●
Emergency opening with master code	●	●
Emergency opening with REOS Code	○	–
Anti-Tamper System	○	–
Premium iAudit	●	–
SAM	○	–
Laser-cut door	●	–
From page	32	36





# DOMETIC PREMIUM CLASS SAFES

Protection for more privacy – comfortably and with absolute reliability. With a Premium Class proSafe, a hotel room becomes a perfectly private haven for the guest. A safe place for storage, conceived and implemented according to the newest standards. Its innovative and customisable design suits every hotel in a stylish way. Smooth surfaces and rounded edges make it easy to look after and give it long-lasting character. A color display and the integrated soft-touch keypad make operation easy. And a Premium Class proSafe also

- LED interior light
- Laser-cut door and frame
- iAudit for convenient documentation
- Emergency opening with key and master code
- Remote Emergency Opening System (REOS 2.0) – ultimate security and user comfort (optional)

breaks new ground when it comes to protective properties: pioneering technology like the unique iAudit and the anti-tampering system ensure security on all levels. The demand for contemporary security systems with added convenience is supported by special features such as REOS 2.0 software with its emergency code-opening system (optional).



## WIDE CHOICE OF MODELS AND SIZES


Dometic ProSafe MD series Premium Class safes are available in various sizes to suit different capacity demands, interior designs and installation conditions. Sizes range from 8.2 to 29 liters.



Batteries included – Dometic safes come ready to use.



Optional inside plug to charge mobile devices.



Automatic opening – Safe door opens automatically.



Fixing kit – Optional fixing kit for secure fastening.



TECHNICAL DATA				
	MODEL	MD 283	MD 363	MD 383
	Type of product	Electronic safe		
	Capacity (liters)	8.2	24	28
Exterior dimensions (H×W×D, mm)	165×280×235	190×360×410	190×380×450	
Interior dimensions (H×W×D, mm)	162×277×185	187×357×360	187×377×400	
Steel thickness (mm)	Door: 5.0 / Body 1.2	Door: 5.0 / Body 1.5	Door: 5.0 / Body 1.5	
Net weight (kg)	6.1	10.2	11.3	
Keypad	ADA-compliant rubber keypad			
Display	White LED color display, 4-digit guest code, English language			
Locking mechanism	Two 18 mm solid steel bolts			
Locking system	Motorised with automatic opening			
Power	4 LR6/AA 1.5 V batteries (incl.)			
Cabinet color	Anthracite			
FEATURES				
LED interior light	●	●	●	
Laser cut technology	●	●	●	
Masterkey opening	●	●	●	
Mastercode opening	●	●	●	
Anti-tampering System	○	○	○	
REOS	○	○	○	
iAudit	●	●	●	
Laptop size	–	15"	17"	
OPTIONS				
	<ul style="list-style-type: none"><li>• Left-hand hinge</li><li>• Fixing Kit</li></ul>	<ul style="list-style-type: none"><li>• Left-hand hinge</li><li>• White color</li><li>• Two steps emergency code opening (REOS)</li><li>• Integrated socket (EU/US/UK/FR)</li><li>• Fixing Kit</li></ul>	<ul style="list-style-type: none"><li>• Left-hand hinge</li><li>• White color</li><li>• Two steps emergency code opening (REOS)</li><li>• Integrated socket (EU/US/UK/FR)</li><li>• Fixing Kit</li></ul>	

TECHNICAL DATA				
	MODEL		MD 408	MD 493
Type of product	Electronic safe			
Capacity (liters)	22.5		29	
Exterior dimensions (H × W × D, mm)	190 × 405 × 350		190 × 490 × 370	
Interior dimensions (H × W × D, mm)	187 × 402 × 300		187 × 487 × 320	
Steel thickness (mm)	Door: 5.0 / Body 1.5		Door: 5.0 / Body 1.5	
Net weight (kg)	10.4		12.4	
Keypad	ADA-compliant rubber keypad			
Display	White LED color display, 4-digit guest code, English language			
Locking mechanism	Two 18 mm solid steel bolts			
Locking system	Motorised with automatic opening			
Power	4 LR6/AA 1.5 V batteries (incl.)			
Cabinet color	Anthracite			
FEATURES				
LED interior light	●		●	
Laser cut technology	●		●	
Masterkey opening	●		●	
Mastercode opening	●		●	
ANTI-TAMPERING SYSTEM	○		○	
REOS	○		○	
iAudit	●		●	
Laptop size	15"		17"	
OPTIONS				
	<ul style="list-style-type: none"><li>• Left-hand hinge</li><li>• White color</li><li>• Two steps emergency code opening (REOS)</li><li>• Integrated socket (EU/US/UK/FR)</li><li>• Fixing Kit</li></ul>		<ul style="list-style-type: none"><li>• Left-hand hinge</li><li>• Fixing Kit</li></ul>	

● Yes / – No / ○ Optional



# DOMETIC STANDARD CLASS SAFES

ROBUSTLY MADE WITH USER-FRIENDLY FEATURES AND FUNCTIONS

It puts hotel guests’ mind at rest to have a safe place for their valuables while travelling. Providing a secure space for important or valuable objects yet it is a distinctive feature when choosing a hotel room or suite. With a Standard Class proSafe, you can create a reliable spot in a guest room that is worth every penny. Security and functionality are paramount with all Dometic safe models. The Standard Class safe models offer your guests a high level of security thanks to their robust construction. Their simple and intuitive usability provides perfect comfort and convenience.

- Robust and reliable
- LED display
- LED interior light
- Master key and master code emergency opening
- Wide choice: vertical, horizontal, top-opening

## DOMETIC PROSAFE MDL – VERTICAL OR HORIZONTAL

MDL 408



MDL 193

With quality and security at their core, these value-for-money in-room safes significantly enhance the security of existing hotel rooms.

- Value-for-money solution for upgrading hotel rooms
- Vertical or horizontal model – both with 18.4 liters capacity
- Easy installation inside a cabinet or on the wall
- Emergency opening with master code or master key
- Battery-low warning alerts users to change battery

## DOMETIC PROSAFE MD 310 / 390 / 450 SAFE INVESTMENT

The doors on all the Standard Class safe models are precisely cut and crafted. Their robust construction and a locking system with extra-strong steel bolts leave no point of attack for burglars. The LED interior light minimises the risk of forgotten valuables. Fast and secure emergency opening is possible with a master key or master code (depending on the model).

- Robust, reliable construction for optimal safety
- LED interior light makes the contents visible at a glance
- Emergency opening with master key or master code



## DOMETIC PROSAFE MDT TOP-OPENING SAFE

Part of the Dometic Standard Class range, the Dometic proSafe MDT 400 X top-opening safe provides a simple, yet ingenious solution that is easy to operate and safe to use. The top-opening drawer safe can be integrated in an existing furniture drawer and provides easy access to guests’ valuables. At the same time it meets the highest demands on ergonomic design, comfort and security with an LED inside light for standard, master key and master code opening possibility in case of emergency, digital LED illuminated keypad, four-digit code and top-opening stabilizer arm. An audio signal confirms that the safe is securely locked.

- Convenient access from above
- LED interior light makes the contents visible at a glance
- Enough room to fit laptop and tablet computers
- Ideal for installation into existing hotel room drawer
- Stabilizer arm for smooth opening and closing of the lid





			
TECHNICAL DATA			
MODEL	MD 310	MD 390	MD 450
Type of product	Electronic safe		
Capacity (liters)	9	31.5	30.4
Exterior dimensions (H × W × D, mm)	165 × 310 × 245	200 × 390 × 480	200 × 450 × 410
Interior dimensions (H × W × D, mm)	161 × 306 × 182	196 × 386 × 418	196 × 446 × 348
Steel thickness (mm)	Door: 5.0 / Body 2	Door: 5.0 / Body 2	Door: 5.0 / Body 2
Net weight (kg)	7.1	14.3	14.5
Keypad	Rubber keypad		
Display	Red LED 4-digit guest code, English language		
Locking mechanism	Two 19 mm steel bolts		
Locking system	Motorised with automatic opening		
Power	4 LR6/AA 1.5 V batteries (incl.)		
Cabinet color	Anthracite		
FEATURES			
Confirmation buzzer	●	●	●
LED interior light	●	●	●
Door handle opening	–	–	–
Masterkey opening	●	●	●
Mastercode opening	●	●	●
Anti-tampering System	–	–	–
REOS	–	–	–
iAudit	–	–	–
Laptop size	–	17"	15"
OPTIONS			
(available for all models)	<ul style="list-style-type: none"><li>• Left-hand hinge</li><li>• Fixing kit</li></ul>		

		
		
		
MDT 400X	MDL 408	MDL 193
Electronic safe		
9.7	18.4	18.4
130 x 400 x 350	190 x 405 x 300	405 x 190 x 300
75 x 380 x 300	187 x 402 x 245	402 x 187 x 245
Door: 3.0 / Body 1.5	Door: 4.0 / Body 1.5	
9	10	
Rubber keypad	Rubber keypad	
Red LED 4-digit guest code, English language	Red LED 4-digit guest code, English language	
Two 19 mm steel bolts	Two 18 mm solid steel bolts	
Motorised with automatic opening	Motorised	
4 LR6/AA 1.5 V batteries (incl.)	4 LR6/AA 1.5 V batteries (incl.)	
Anthracite	Anthracite	
●	–	–
●	–	–
–	●	●
●	●	●
●	●	●
–	–	–
–	○	○
–	○	○
15"	13"	13"
<ul style="list-style-type: none"><li>Fixing kit</li></ul>	<ul style="list-style-type: none"><li>Left-hand hinge</li><li>Fixing kit</li><li>White cabinet color</li></ul>	<ul style="list-style-type: none"><li>Left-hand hinge</li><li>Fixing kit</li><li>White cabinet color</li></ul>

● Yes / – No / ○ Optional





# WINE REFRIGERATORS

## PERFECT STORAGE CONDITIONS FOR WINES AND CHILLED BEVERAGES

Wine connoisseurs, gourmets and restaurateurs all agree: For a wine to unfold its full bouquet and flavour, both the storage conditions and the serving temperature must be right. It has been our job for decades to make sure they are. As specialists in mobile refrigeration and climate control, we have created a comprehensive product range for keeping wines at their optimum temperature.

Dometic wine refrigerators have proven their worth in bars, restaurants and hotels as well as in offices and private households. They meet the highest demands on quality and design and are available in numerous sizes and versions. All wine refrigerators are supplied fully equipped, including the shelves and all essential accessories.



## HOW TO STORAGE AND SERVE

What is the perfect serving temperature for your wine? Here are some basic recommendations. Red wine is best served at a temperature between 12 °C and 18 °C, depending on the origin, grape, and year. White wine likes it cooler, between 8 °C and 12 °C. Champagne and fruity dessert wine should be served ice-cold, between 5 °C and 7 °C.

	White wine	Red wine		White wine	Red wine
Bordeaux	12°	18°	Rioja	12°	18°
Bourgogne	10°	16°	Napa Valley	12°	16°
Loire	10°	15°	Australia	10°	16°
Languedoc	12°	18°	Chile	10°	18°
Alsace grands crus	12°	16°	Liqueur wine	8°	
Piedmont, Tuscany	10°	18°	Champagne	6°	



## VERSATILE TO USE

Designed for professional wine storage, Dometic wine refrigerators are also great for chilled beverages, such as mineral water, beer and soft drinks. The selected temperature is always reliably maintained.





# READY TO SERVE

The Dometic Design Range is the perfect choice for those looking for a wine refrigerator to compliment a more modern kitchen decor. The elegant wine cabinets come with frameless glass doors – and dual temperature zones which are perfect to store and age wine for a long time in one zone while having the right serving temperature at any time in the other zone.

Various model versions are available, with capacities ranging from 7 to 115 Bordeaux bottles. Extra-slim for confined spaces, with side-by-side double door, or with a built-in column for easy integration. There's a perfectly matching wine refrigerator for every restaurant, bar, or kitchen layout – or your private home.

- Two temperature zones for storing different wines at the perfect temperature (except E7FG and E18FGD)
- Heat and Cool function quickly achieves and reliably maintains set temperature
- Frameless 3-layer glass door with UV light filter
- Full-height LED lights on both sides add eye appeal to the wine collection (except E7FG)
- Integrated air circulation system for homogenous temperature distribution and high air quality
- Water tank and carbon filter create a perfect climate for storing and ageing wine
- Top energy efficiency rating – complies with new ErP requirements (as from March 2021)
- Supplied with lock and key to keep your precious wine safe (except E7FG, E18FGB, E49FGB)
- Serving drawer for storing open bottles upright (fits E91FG, E115FG)



Special glass keeps UV-light away



## UPGRADING OPTIONS

Replacement carbon filter, label set, optional serving drawer.

**E18FGB, E49FGB:** Supplied with built-in column for easy integration into the surrounding furniture and integrated ventilation system

**E40FGD:** Dual glass door (side by side) provides direct access to one temperature zone without opening the other  
**E7FG:** Super-slim design – just 148 mm wide – neatly blends in with the surrounding furniture



TECHNICAL DATA		
		
MODEL	E16FG	E45FG
Bottles std	16	45
Bottles max	19	61
Width (mm)	295	595
Height (mm)	820	820
Depth incl. handle (mm)	617	617
Zones	2	2
Lock	Yes	Yes
Energy class	G	F



E16FG



E45FG



Two temperature zones

Easily set your preferred serving temperature for red and white wines.







Full-height LED light

Elegantly display your wine collection.



Lockable door

Keeps expensive wine safe and away from children.

TECHNICAL DATA		
		
MODEL	E91FG	E115FG
Bottles std	91	115
Bottles max	130	155
Width (mm)	595	595
Height (mm)	1476	1768
Depth incl. handle (mm)	617	617
Zones	2	2
Lock	Yes	Yes
Energy class	G	G



E91FG



E115FG



Two temperature zones

Easily set your preferred serving temperature for red and white wines.



Full-height LED light

Elegantly display your wine collection.



Serving drawer

Stores open bottles upright for convenient service.



TECHNICAL DATA			
			
MODEL	E7FG	E28FG	E40FGD
Bottles std	7*	28	40
Bottles max	7*	38	52
Width (mm)	148	395	595
Height (mm)	820	820	820
Depth incl. handle (mm)	572	617	617
Zones	1	2	2
Lock	No	Yes	Yes
Energy class	G	F	F

\* can only be used with Bordeaux or similar bottles



E7FG



E28FG



E40FGD



Two temperature zones

Easily set your preferred serving temperature for red and white wines.



Full-height LED light

Elegantly display your wine collection.



Lockable door

Keeps expensive wine safe and away from children.

TECHNICAL DATA		
		
MODEL	E18FGB	E49FGB
Bottles std	18	38
Bottles max	18	49
Width (mm)	545 (door 590)	545 (door 590)
Height (mm)	455	885
Depth incl. handle (mm)	592	592
Zones	1	2
Lock	No	No
Energy class	F	F



E18FGB



E49FGB



Full-height LED light

Elegantly display your wine collection.



Two temperature zones

Easily set your preferred serving temperature for red and white wines.  
(only E49FGB)



Wooden sliding shelves

Convenient slide-out access, ideal for serving.  
(only E49FGB)





Keeping your wine collection ready to enjoy is easy with the Dometic Classic Range of wine refrigerators. The temperature can be set to any value between +5 °C to +20 °C, so red and white wines can be stored at the perfect serving temperature. Conveniently serve your wine according to its type, vintage or personal preference!

Featuring advanced Heat and Cool technology and a smart front ventilation system, Classic Range wine refrigerators help to quickly achieve and reliably keep the set temperature throughout the cabinet.

- Mono-zone cabinet with wooden sliding shelves – perfect for serving
- Suitable for storing wines at the ideal drinking temperature (between +5 °C and +20 °C)
- Heat and Cool function quickly achieves and reliably maintains set temperature
- 2-layer glass door with UV light filter or stainless steel frame (larger models with 3-layer glass door)
- White side-light across the complete compartment height
- Integrated air circulation system for homogenous temperature distribution and high air quality
- Water tank and carbon filter (depending on the model) create a perfect climate for storing and ageing wine
- Low energy consumption – complies with new ErP requirements (as from March 2021)



C 101G

**Upgrading options:** presentation shelf, sliding shelf, serving drawer, label set.

TECHNICAL DATA								
	F A G		G A G		G A G		G A G	
MODEL	C20G		C50G		C101G		C125G	
Bottles std	20		50		101		125	
Bottles max	26		66		149		182	
Width (mm)	295		595		595		595	
Height (mm)	820		820		1476		1768	
Depth incl. handle (mm)	617		617		617		617	
Zones	1		1		1		1	
Lock	No		No		No		No	
Energy class	F		G		G		G	



C20G



C50G



C101G



C125G



**Effective front ventilation system**

flowing directly to the front ventilation grill where it's released outside.



**UV filter**

Multi-layer special glass door, coated with a UV filter for maximum protection.



**Full-height LED light**

Attractive, sales-promoting product presentation.





Functionality meets style in the Essential Range of wine refrigerators. Available with either solid black or glass doors with stainless steel frames, all equipped with white LED top-light. Different size models with capacities ranging from 29 to 195 Bordeaux bottles. Well engineered heating, cooling and air circulation technologies ensure all the requirements for professional wine service are met. Ideal wine refrigerators for bars, restaurants, hotels and passionate wine lovers.

- Mono-zone cabinet with fixed wooden reinforced shelves – perfect for serving
- Suitable for storing wines at the ideal drinking temperature (between +5 °C and +20 °C)
- Heat and Cool function quickly achieves and reliably maintains set temperature
- Elegant 2-layer glass door with UV light filter and stainless steel frame (B29G, B68G)
- Solid door saves energy and protect the wine from sunlight (B162S, B195S)
- White LED top light nicely illuminates the interior
- Integrated air circulation system for homogenous temperature distribution and high air quality
- Water tank and carbon filter create a perfect climate for storing and ageing wine (B162S, B195S)
- Low energy consumption – complies with new ErP requirements (as from March 2021)
- Optional serving drawer for storing open bottles upright (fits B162S and B195S)



B162S

**Upgrading options:** presentation shelf, sliding shelf, serving drawer, label set.

TECHNICAL DATA				
MODEL	B29G	B68G	B162S	B195S
Bottles std	29	68	162	195
Bottles max	20	52	102	126
Width (mm)	295	595	595	595
Height (mm)	864	864	1476	1768
Depth incl. handle (mm)	617	617	617	617
Zones	1	1	1	1
Lock	No	No	No	No
Energy class	F	G	F	F



B29G



B68G



B162S



B195S



**Effective front ventilation system**  
flowing directly to the front ventilation grill where it's released outside.



**UV filter**  
Multi-layer special glass door, coated with a UV filter for maximum protection.  
(only B29G and B68G)



**Full-height LED light**  
Attractive, sales-promoting product presentation.





DESIGNED TO ENTERTAIN  
**MOBAR**

# SERVE YOUR GUESTS IN STYLE

The Dometic MoBar is the ultimate mobile bar for your outdoor space. Professionally graded with a timeless state-of-the-art patented design, it doesn't compromise style for functionality or convenience, allowing guests to socialize outdoors without ever missing a moment. The MoBar is a fully mobile product, offering unprecedented levels of convenience. Easy to move thanks to its heavy-duty wheels and ergonomic handle, so it can be placed right at the heart of any outdoor event.

- Conveniently entertain a group of people
- Attractive and versatile beverage presentation
- Timeless patented design in elegant stainless steel
- Weatherproof design built for harsh outdoor environments
- Easy to place with heavy-duty wheels and robust handle
- Powerful and efficient compressor cooling technology with electronic controls for precise refrigeration (MoBar 300 S and 550 S)

WATCH THE  
VIDEO  
[dometic.com/  
mobar](https://dometic.com/mobar)

MOBAR 50



MOBAR 550

MOBAR 300



reddot winner 2021



## USED BY PROFESSIONALS

Thanks to its timeless yet robust stainless-steel design and mood enhancing lighting, the Dometic MoBar range is the perfect mobile beverage center to serve and impress hotel and restaurant guests. Developed in collaboration with professional bartenders with detachable speed rails and optional crushed ice and garnish containers for smart storage of fresh garnishes, ice and utensils, it's equipped to meet the demands of any occasion big or small.



# DRINKS ARE ALWAYS AT HAND WITH MOBAR 550

The Dometic MoBar 550 accommodates up to 39 wine bottles or 155 cans in the dual-zone cold storage compartment and up to another 22 wine bottles or 32 cans in a separate rotomolded ice basket, so you can stay well-stocked and ready to serve. Two dry storage compartments provide additional room for mixers, garnishes, drinkware and more – right where you need them.



## PERFECTLY COOLED TO YOUR PREFERENCE

The finer details can make a big difference. With its dual-zone cold storage compartment and an adjustable temperature range of 2 °C – 20 °C, the Dometic MoBar 550 ensures wines, beers and other beverages are all chilled to their optimal serving temperature. Its UV-resistant glass door displays drinks while protecting them from harmful exposure to sunlight.

WATCH THE VIDEO  
[dometic.com/mobar](https://dometic.com/mobar)



**Spacious presentation area**  
Prepare, mix and present like a professional.



**Superior ice retention**  
Rotomolded presentation basket will keep bottles ice-cold.



**Professional accessories**  
Developed in collaboration with professional bartenders.

			
TECHNICAL DATA	MOBAR 550S	MOBAR 300S	MOBAR 50S
MODEL			
Material	304 grade stainless steel and black powder coated steel		
Insulated presentation basket	Roto molded with PU foam insulation 24 L stores 22 wine bottles / 32 cans		
Refrigerator / wine cabinet	20" dual-zone, 2 wood shelves, 1 metal shelf	20" single-zone, 2 wood shelves	n/a
	39 wine bottles (14 upper, 25 lower) 155 cans (56 upper, 99 lower)	19 wine bottles 70 cans	n/a
	Lock, illumination	Lock, illumination	n/a
Includes	Serving tray, cutting board, speed rail, fresh ice container	Cutting board, speed rail, extension table	Serving tray, cutting board, speed rail
Dimensions (H × W × D, mm)	1250 × 620 × 980 mm	720 × 620 (970 with side board) × 980 mm	650 × 570 × 900 mm

## MAKE THE MOST OF YOUR MOBAR

Accessorize your MoBar with an extension table, speed rails or an ice container and protect it from rain and dust with a protective cover. Additional serving trays and cutting boards are also available.







# RESTAURANT & CATERING

## FRESH ON ARRIVAL

For businesses who would like to keep taking orders have two options for cold delivery: a fully refrigerated truck or a mobile alternative. While full vehicle conversions are common, the process can be costly, complex and rely on numerous components from various sources and services. From regular passenger sedans to small delivery vans and mid-sized fleet vehicles our mobile cooling range offers a fast and flexible cold chain alternative that requires little to no installation that can be ready for making deliveries today. If you're transporting

food absolute temperature precision is required. HACCP (Hazard Analysis Critical Control Points) is an internationally binding quality management system for foodstuffs. That's why we provide proven cooling and freezing solutions for a variety of temperature-sensitive applications.

# DOMETIC CFX3

## YEARS OF INNOVATION FOR COOLING PERFECTION

Keep your product at the right temperature at all times. We can provide you with a mobile refrigeration solution. Our portable compressor coolers fit for demanding cooling tasks in harsh environments. Being very powerful they provide excellent cooling performance, even at extremely high ambient temperatures. The CFX3 features durable and lightweight fender frames to protect the cooler. Strong, spring-loaded aluminum handles make it easy to lift and carry. Adjust the cooling temperature of your CFX3 on the TFT display screen or download the Dometic app and roam free without worry.

- Heavy-duty yet lightweight construction, fender frame protected edges and stainless steel hinges
- CFX3 smartphone app allows temperature control via WiFi or Bluetooth and provides performance history
- Powerful VMSO3 compressor cooling technology
- 3-stage dynamic battery protection system prevents a dead car battery or allows a deep draw on dual batteries
- Generous storage capacity of 25 – 99 l
- Built-in TFT user interface displays operating status



12/24 V



Suitable for solar









230 V



Controlled via WiFi or Bluetooth



TECHNICAL DATA	 C A G	 C A G	 C A G	 D A G	 D A G
COMPRESSOR COOLERS	CFX3 25	CFX3 45	CFX3 55	CFX3 75DZ	CFX3 100
Total Volume (l, approx.) incl. for fresh food (l)	25	46	55	75 (45/30)	99
Connections	12 / 24 V DC / 100 – 240 V AC				
Temperature range	+20 to –22				
Power input (watts, approx.)	46	52	50	59	73
Energy Class (A – G)	C	C	C	D	D
Refrigerant	R 134a	R 134a	R 134a	R 134a	R 134a
Refrigerant quantity	32 g	42 g	45 g	59 g	60 g
CO2 equivalent	0.046 t	0.060 t	0.064 t	0.084 t	0.086 t
Global warming potential (GWP)	1430	1430	1430	1430	1430
Weight (kg, approx.)	12.7	18.7	20.4	27.8	29.6
Protection class	IP44, colour display IP64				
Test marks	TÜV/GS, E-certified (Automotive EMC Directive)				








# DOMETIC TCX


## COOLBOXES WITH ACTIVE BATTERY PROTECTION - ALSO WARMS FOOD

Fresh design with soft-touch controls and a digital display – these are the hallmarks of the new Dometic Tropicool TCX series. The new generation of our popular high-tech coolers features a lot of inner values: intelligent power-save circuit, individually adjustable temperature, and an active battery protection system that prevents excessive discharging of the vehicle battery. Tropicool TCX coolers provide cooling up to 27 °C (TCX 07 25 °C) below the ambient temperature. If desired, they will also keep food warm. Activating the heating function supplies temperatures of up to +65 °C.





  
12/24 V


  
Cooling and heating mode

  
230 V

  
Active battery security



TECHNICAL DATA				
THERMO ELECTRIC COOLERS	TCX 07	TCX 14	TCX 21	TCX 35
Total Volume (l, approx.)	7	15	21	33
Connections	12 V DC / 230 V AC			
Consumption				
at 12 volts DC (watts)	47	46	46	46
at 24 volts DC (watts)	–	50	50	50
at 230 volts AC (watts)	55	64	64	64
Energy Class (A – G)	–	E	E	F
Temperature range				
Cooling below ambient temperature (°C, approx.)	max. 25	max. 27	max. 27	max. 27
Heating	+65	+50 to +65	+50 to +65	+50 to +65
Weight (kg, approx.)	2.8	5.0	6.0	10.0
Test marks	TÜV/GS, E-certified (Automotive EMC Directive)			







# DOMETIC COOL-ICE

## PASSIVE COOLERS IN HEAVY DUTY QUALITY

Dometic passive coolers feature an extremely effective insulation system. Fitted with ice packs or ice cubes, they can keep groceries fresh for several days. The new facelift models of the popular series are even cooler. The modular storage system, consisting of wire baskets and dividers, organises the content. Available for all new Cool-Ice models (43 to 111 litres).

- Thick insulation and unique sealing design means ice lasts longer
- Hygienic and easy to clean with large diameter drain plug
- With convenient extended handle and wheels (CI 85W)
- Strong, seamless, food grade polyethylene construction.
- Integrated polyethylene feet
- Practical tie down points below handles
- Integrated hinges with stainless steel rods and durable rubber latches



TECHNICAL DATA				
ICEBOXES	WCI 33	CI 42	CI 70	CI 85W
Total Volume (l, approx.)	33	43	71	86
Dimensions (W x H x D, mm)	400 x 440 x 360	640 x 355 x 418	690 x 432 x 515	840 x 432 x 525
Weight (kg, approx.)	5.7	8.7	11.8	14.6
Material	UV-resistant plastic			

### PORTABLE LITHIUM BATTERY SUPERIOR PERFORMANCE – RELIABLE POWER SUPPLY

The Dometic PLB40 Ah Lithium Iron Phosphate battery delivers high levels of mobile power. Designed for powering powered coolers and other 12 V appliances. Thanks to its lightweight and compact design you can enjoy true independence.

For more information see [dometic.com](https://dometic.com)

**TIP**

Use our electric cool boxes also when there is no energy available





# THE DOMETIC FOOD DELIVERY BOX

CHEF APPROVED

Dometic is launching an unconventional transport box which can preserve the restaurant quality and temperature of the food until it reaches the customer. The product, the Dometic Food Delivery Box is currently in development, and will provide a better method of home delivery of prepared food and open up business opportunities for restaurateurs and transport companies, allowing them to enter into the ever growing food delivery business. The box, which is mounted on mopeds and motorcycles, has both heating and cooling elements that keep the food warm or cold and maintain the restaurant quality of the dish under transportation until it reaches the consumer.



Available  
2022



## DOMETIC DELIBOX

### ACTIVE HEATING GUARANTEES IDEAL FOOD TEMPERATURE

- Active warming ensures the correct temperature of all food transported and food safety
- Dual temperature zones. Transport both hot and ambient dishes at the same time
- DeliBox is equipped with cold plasma surface disinfection technology that reduce bacteria build-up & smell
- Food graded interior guarantees that the inner compartment is approved and safe for food use
- Can be mounted on most mopeds, scooters, and motorized vehicles
- Outer dimensions: W500 x H560 x D611,5 mm
- Inner dimensions: 422,4 x 482,5 x 425 mm
- Volume: 86,63l
- Weight: 18 kg

## DOMETIC DELIBOX DUAL

### DUAL COMPARTMENT SYSTEM – SEPARATE ACTIVE HEATING AND COOLING AREAS

- Active warming and cooling ensures the correct temperature of all food transported and food safety
- The connectivity feature keeps track of every delivery and monitors the temperature during transport
- Dual temperature zones. Transport both hot and cold dishes at the same time
- DeliBox is equipped with cold plasma surface disinfection technology that reduce bacteria build-up & smell
- Food graded interior guarantees that the inner compartment is approved and safe for food use
- Can be mounted on most mopeds, scooters, and motorized vehicles
- Outer dimensions: W500 x H560 x D688,5mm
- Inner dimensions: 422,4 x 482,5 x 425 mm
- Volume: 86,63l
- Weight: 23 kg

WATCH THE  
VIDEO  
[dometic.com/  
food-delivery-box](https://dometic.com/food-delivery-box)





**GERMANY, AUSTRIA  
& SWITZERLAND  
Dometic GmbH**

In der Steinwiese 16  
D-57074 Siegen  
Tel +49 (0) 271 692 134 / 142  
+49 (0) 271 692 127  
Fax +49 (0) 271 692 302  
Mail [hospitality@dometic.de](mailto:hospitality@dometic.de)

**BELGIUM, NETHERLANDS  
& LUXEMBOURG  
Dometic GmbH**

In der Steinwiese 16  
D-57074 Siegen  
Tel +49 (0) 271 692 131  
+32 (0) 478 6414 68  
Fax +49 (0) 271 692 302  
Mail [hospitality@dometic.de](mailto:hospitality@dometic.de)

**MIDDLE EAST & AFRICA  
Dometic Middle East FZCO**

P.O. Box 17860  
S-D 6, Jebel Ali Freezone  
Dubai  
Tel +971 4 883 3858  
Fax +971 4 883 3868  
Mail [hospitality@dometic.ae](mailto:hospitality@dometic.ae)

**SWEDEN  
Dometic Scandinavia AB**

Gustaf Melins gata 7  
S-421 31 Västra Frölunda  
Tel +46 31 7341100  
Fax +46 31 7341101  
Mail [info@dometic.se](mailto:info@dometic.se)

**DENMARK  
Dometic Denmark A/S**

Nordensvej 15, Taulov  
DK-7000 Fredericia  
Tel +45 75585966  
Fax +45 75586307  
Mail [info@dometic.dk](mailto:info@dometic.dk)

**FINLAND  
Dometic Finland Oy**

Valimotie 15  
FIN-00380 Helsinki  
Tel +358 20 7413220  
Fax +358 9 7593700  
Mail [hospitality@dometic.com](mailto:hospitality@dometic.com)

**NORWAY  
Dometic Norway AS**

Elveveien 30B  
3262 Larvik  
Tel +47 33428450  
Fax +47 33428459  
Mail [firmapost@dometic.no](mailto:firmapost@dometic.no)

**POLAND  
Dometic Poland Sp. z o.o**

ul. Puławska 435A  
PL-02-801 Warszawa  
Tel +48 22 414 3200  
Fax +48 22 414 3201  
Mail [info@dometic.pl](mailto:info@dometic.pl)

**HUNGARY  
Dometic Zrt. Sales Office**

H-1147 Budapest  
Kerékgyártó u. 5.  
Tel +36 1 468 4400  
Fax +36 1 468 4401  
Mail [budapest@dometic.hu](mailto:budapest@dometic.hu)

**RUSSIA & CIS  
Dometic Rus LLC**

18 Malaya Pirogovskaya str. bld 1,  
office 505  
Moscow 119435  
Tel +7 495 374 8896  
Fax +7 495 916 5653  
Mail [info@dometic.ru](mailto:info@dometic.ru)

**RUSSIA  
Miko**

Leningradskiy pr. 30/2  
125040 Moscow  
Tel +7 495 651 09 45  
Mail [officemoscow@miko-hotelservices.com](mailto:officemoscow@miko-hotelservices.com)

**GREECE  
Samaras**

Anaximandrou 73  
54250 Thessaloniki  
Tel +30 231 032 1091  
Mail [polief96@otenet.gr](mailto:polief96@otenet.gr)

**FOR SALES IN EASTERN EUROPE,  
TURKEY & ISRAEL, PLEASE CONTACT  
DOMETIC POLAND**

**FRANCE  
Dometic SAS**

ZA du Pré de la Dame Jeanne  
B.P. 5  
F-60128 Plailly  
Tel +33 3 44633521/33  
Fax +33 3 44633528  
Mail [lodging@dometic.fr](mailto:lodging@dometic.fr)

**ITALY  
Dometic Italy S.r.l.**

Via Virgilio, 3  
I-47122 Forlì (FC)  
Tel +39 0543 754901  
Fax +39 0543 754983  
Mail [vendite@dometic.it](mailto:vendite@dometic.it)

**SPAIN  
Dometic Spain S.L.**

Avda. Sierra del Guadarrama, 16  
E-28691 Villanueva de la Cañada  
Madrid  
Tel +34 91 833 6089  
Fax +34 900 100 245  
Mail [info@dometic.es](mailto:info@dometic.es)

**PORTUGAL  
Dometic Spain, S.L.**  
Branch Office em Portugal  
Rot. de São Gonçalo nº 1–Esc. 12  
2775-399 Carcavelos  
Tel +351 219 244 173  
Fax +351 219 243 206  
Mail [info@dometic.pt](mailto:info@dometic.pt)

**UNITED KINGDOM  
Dometic UK Ltd.**  
Dometic House, The Brewery,  
Blandford St. Mary  
Dorset DT11 9LS  
Tel +44 344 626 0133  
Fax +44 344 626 0143  
Mail [lodging@dometic.co.uk](mailto:lodging@dometic.co.uk)

For global requests, please mail us at: [hospitality@dometic.com](mailto:hospitality@dometic.com)

We distribute our products in around 100 markets. Please ask for your contact point if not listed here, or check our website [Dometic.com](http://Dometic.com)

