



thrislington cubicles

thrislington cubicles commercial

Aberdeen University Library Aquatics Centre
Assembly Rooms Edinburgh Birmingham Library
and REP Theatre Birmingham New Street Station
Birmingham Town Hall Bristol Civic Justice Centre
Bullring Shopping Centre City of Westminster Courts
Co-operative Group HQ Cutty Sark ExCel Goldman
Sachs Peterborough Court John Rylands Library
Kings Cross Station Liverpool John Lennon Airport
London Eye London South Bank Lymington Yacht
Haven Marina Manchester Town Hall Museum of
Science & Industry Neasden Mandir NEC Birmingham
Museum of Liverpool Olympic Velodrome Oriel
Mostyn Gallery Prince of Wales Theatre Royal
Liver Building Serpentine Sackler Gallery Snowdon
Summit Café Somerset House St Georges Park
St Pancras International Wembley London Designer
Outlet Ellesmere Port Westminster Cathedral
Bay Atlantic, Lagos British Council, Nairobi Ibis
Hotel, Lagos Labadi Beach Hotel, Accra Standard
Chartered Bank, Nigeria Yost Grube Hall, Lekki 3
Connaught Road, Hong Kong Arcapita Bank, Singapore

We've been building the worlds best toilet cubicles at our factory in the United Kingdom since the 1960's.

Our passion is design, we've won countless awards over the years for our literature, advertising and most importantly our products.

We endeavour to use sustainable materials and the fact our products are designed to last so long is the key behind our environmental plan.


We've made our name through innovation, we love launching new systems, but anything we do launch will have been tested to within an inch of its life. To you it may seem new but to us we've been living with it for a lot longer.

It's this testing which means that we're so confident in our products, we are able to offer our unique ten year manufacturing guarantee.

1986
We shipped
our cubicles
overseas for
the first time.
This was
the first time
we shipped
to the
USA.




1990
We launched
our top of
the range
Alti system,
designed
for high end
offices.



1994
We won our
first (of many)
D&AD design
awards for our
1993 Calendar.


1995
Won our
second D&AD
design award.



1989
Our Combat
cubicles were
installed at the
old Wembley
Stadium.



1990	1991	1992	1993	1994
------	------	------	------	------



1992
We created
entry, our
the duct
system,
with
design
the
still
to

time flies established 1968

time flies




1972
We moved to our first factory in Bromborough, Merseyside.



1978
Our van started to deliver throughout the North of the UK.



1982
Our salesmen began to go on the road country wide. Although it was hard to try and stay in constant contact with them...



1986
We shipped our cubicles overseas for the first time. With jobs as far afield as Hong Kong.

1984
Our first logo was created.




1990
We launched our top of the range Alt system, designed for high end offices.



1989
Our Combat cubicles were installed at the old Wembley Stadium.



1994
We won our first (of many) D&AD design awards for our 1993 Calendar.



1999
Our "Spend a Penny" Calendar was added to the permanent collection at the V&A.



thrislington cubicles

2001
We reworked our logo, to how it is today.



2004
We fitted out the Museum of Modern Art - New York.



2010
From Wales to Miami - we exhibited at the AIA 2010.



2012
We fitted our Morgan Stanley's office in Times Square, New York, a job up to Gold LEED standard.



2013
Our team today (with less dodgy moustaches).

1968 1969 1970 1971 1972 1973 1974 1975 1976 1977 1978 1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994 1995 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015



1968
We opened our first office (which was actually located inside this garage).




1972
The first MD of the company was Brian Moore.



1974
Jimmy Innes started work as a fitter - still doing the same today. (He can be seen fourth from the right on the back row of the 1985 photo to the right).



1980
We moved to our current site in Sandycroft, Flintshire.



1984
Our much loved Lotus cubicle was sold for the first time.



1985
We won our first advertising award.



1992
We created Sentry, our lockable duct access system, which, with some design revisions on the way, we still manufacture to this day.



1993
Our Newspaper Calendar was released.



1995
We fitted out Zaha Hadid's pavilion at the Blueprint Interbuild exhibition.



2000
We were the first to sell toilet cubicles online with the launch of cubicplanet.com, which was based in the Port of Liverpool building.



THE STICKS IS THIS IT



2004
Time did fly and after ten years and over 20 different design awards including 5 D&AD yellow pencils we decided to take a pause on our yearly calendar production.



2007
We won the DME, Design Management Europe award.



2006
Our products won the coveted Red Dot design award.



2008
We were entered into the Design Week Hall of Fame.



2008
Flow - our flush full height system is developed and fitted for the first time.



2014
Our intelligent glass systems launched including the spectacular Flowrite.




2013
We won an iF design award for our recently launched Leisure range.



2015
Coming soon, our dedicated health range.


the ranges



flow page 14
flush, full height
and beautiful

Non-visible full aluminium frame.
Up to 2700mm high with 8mm floor gap.
42mm rebated doors to ensure flush finish.
Self-closing hydraulic door closer.
Pivoted door.
Stainless steel fittings.
Machined stainless steel lock, complete with flush face plate, locates into integral receiver.
Emergency release.
10 year guarantee.


- Available in:
- Flowlite
 - Glass
 - Wood Veneer
 - Stainless Steel
 - Aluminium
 - High Pressure Laminate



ribbon page 28
a floating wall
of cubicles

Non-visible full aluminium frame.
Standard height of 2100mm with 100mm floor gap.
Available up to 2500mm high.
31mm rebated doors to ensure flush finish.
Self-closing hydraulic door closer.
Pivoted door.
Stainless steel fittings.
Machined stainless steel lock with flush face plate.
Lock locates in post.
Emergency release.
10 year guarantee.


- Available in:
- Wood Veneer
 - Aluminium
 - High Pressure Laminate



oasis page 38
the cubicle
that floats

Visible full aluminium frame.
Standard height of 2000mm with 150mm floor gap.
Available in certain finishes in full height version up to 2700mm with minimal floor gap.
Anti-fingertrap.
Lock locates into integral receiver.
Self-closing hydraulic door closer.
Pivoted door.
Stainless steel fittings.
Machined stainless steel lock.
Emergency release.
10 year guarantee.


- Available in:
- Oasis Smart
 - Glass
 - Wood Veneer
 - Stainless Steel
 - Aluminium
 - Compact Grade Laminate
 - High Pressure Laminate



icon page 52
a stunning
all-rounder

Visible full aluminium frame.
Standard height of 2000mm with 150mm floor gap.
Available in certain finishes in full height version up to 2500mm with 100mm floor gap.
Anti-fingertrap.
Machined aluminium lock locates into post.
Concealed self-closing door closer in foot.
Pivoted door.
Aluminium fittings.
Emergency release.
10 year guarantee.


- Available in:
- Glass
 - Wood Veneer
 - Stainless Steel
 - Aluminium
 - Compact Grade Laminate
 - High Pressure Laminate



polo page 62
value engineered
perfection

Visible full powder coated aluminium frame.
Standard height of 2000mm with 150mm floor gap.
Available in full height version up to 2400mm with 28mm floor gap.
Anti-fingertrap.
Machined painted aluminium lock locates into post.
Rise and fall self-closing door mechanism located in foot.
Pivoted door.
Powder coated aluminium fittings.
Emergency release.
10 year guarantee.


- Available in:
- Compact Grade Laminate
 - High Pressure Laminate



sentry page 72
the versatile panel
system that hinges

Full aluminium framework.
Factory prefabricated access panel system.
Up to 3000mm high.
Available for toilet pans, urinals, wash-hand basins or simply wall panelling.
Hinged access doors fastened by concealed catches.
10 year guarantee.


- Available in:
- Glass
 - Wood Veneer
 - Stainless Steel
 - Aluminium
 - Compact Grade Laminate
 - High Pressure Laminate



vanity units page 82
an option for every
washroom

Factory prefabricated.
Variety of profiles.
Optional access panels to conceal pipework.
Supported by steel or aluminium framework.
Available in a variety of designs.
10 year guarantee.

- Available in:
- Glass
 - Granite
 - Concrete
 - Solid Surfaces
 - Compact Grade Laminate
 - High Pressure Laminate




fusion page 92
lockers the
thrislington way

Aluminium body.
Standard height of 1800mm.
Various configurations, available, including z-lockers.
Variable depths and widths.
Full extruded integral door frames and hinges.
Range of locking options.
Designed for wet and humid conditions.
Can work with differing plinth options
10 year guarantee.


- Available in:
- Glass
 - Wood Veneer
 - Aluminium
 - Compact Grade Laminate
 - High Pressure Laminate

our unique selling points



made to measure

Like the ultimate Savile Row suit, all our cubicles, panels and vanity units are made specifically for each individual room, this ensures that for every job specified they become the perfect fit.





self-closing doors

From our top of the range hydraulic closing system to a simple rise and fall mechanism, all our doors are designed to self close leaving your washroom looking as neat as you intended.

10 year warranty

We offer a no fuss - 10 year manufacturing guarantee. All of our products are built to stand the test of time, which we believe to be critical to our environmental strategy.





full aluminium framework

We like to think that people often choose Thrislington because of how the cubicles look but they come back to order again, because of how they work. The strength behind all our cubicles is the full aluminium framework.


pivoted doors

Our doors open by pivoting from a headrail, to either a bracket, foot or the floor meaning all our cubicles are free of hinges, which are the weak point of any door. The pivot system also provides the opportunity to increase or decrease clearances around the door, which can create an anti-finger trap facility if desired.



innovation

We have always tried to stay one step ahead of our competition by creating innovative new product features, such as our new electronic Flowlite and Oasis Smart systems.




minimalist fixings

Our products are as minimalist as possible, with clean lines and uncluttered panels. Even when visible fixings are essential, we employ neat yet very tough architectural fixings.


different finishes

Our cubicles are available in a wide range of different finishes - look at the finishes page for each model for more information.



integrated locking mechanism

Unlike a normal latch and bolt system our locks are designed to integrate directly into the aluminium frame of our cubicles and are through fixed for added strength. They also all have our unique shear point at the tip which is designed to snap if a door is kicked through. This point is quick and inexpensive to fix.




bespoke design

We like to think we know everything there is to know about washroom design, but that doesn't mean that we are not open to new ideas. With our unique bespoke design service we are able to work with you, to create your ideal specification.

environmental policy

All of our core materials are sourced from sustainable managed forests. We are also able to supply core materials with no added urea formaldehyde (NAUF), with zero VOC adhesives, to achieve BREEAM and LEED certification where specified. All our aluminium has a high recycled content.



Our new system, unrivalled in the cubicle world, can change colour by the second and can even link to the lock, creating a different colour cubicle whether open or closed.

Built using the same tried and tested technology behind our Flow system in glass, this truly is the premier system from the world's premier cubicle supplier.

flowlite

As soon to be seen in W Hotel, Liverpool.



flowlite




To see flowlite move go to www.thisingtoncubicles.com/flowlite

flow

The last word in elegance, all flow doors close to a completely flush finish with 42mm thick hydraulically closing doors and hand lipped rebates. Stainless steel fittings complete the system.

Available in flowlite, glass, wood veneer, stainless steel, aluminium and high pressure laminate.

As seen in Ferrari World, Abu Dhabi.



flow



flow in glass trough in solid surface sentry in aluminium


Features:
Non-visible full aluminium frame.
Up to 2700mm high with 8mm floor gap.
42mm rebated doors to ensure flush finish.
Self-closing hydraulic door closer.
Pivoted door.
Stainless steel fittings.
Machined stainless steel lock, complete with flush face plate, locates into integral receiver.
Emergency release.
10 year guarantee.

Available in:

- Flowlite
- Glass
- Wood Veneer
- Stainless Steel
- Aluminium
- High Pressure Laminate






flow surfaces and finishes			k32 Specification: Overall cubicle height up to 2700mm with an 8mm floor clearance. Framework: Full anodised aluminium frame, with extruded headrail finished with matching finish. Lock locates into receiver integrated within the vertical fascia.	
material	options	examples		
glass Back painted glass.	<ul style="list-style-type: none"> ● Flowlite ● Low-Iron ● Clear ● Range of standard colours ● RAL match on request 		<p>Door: 42mm finished thickness consisting of a 29mm ultra lightweight MDF core, faced in high pressure laminate, then rebated and hand-lipped, to accept 5mm low-iron back painted toughened glass to both faces. Concealed fixings within the door allow attachment to stainless steel pivots, suspended from aluminium headrail and located onto floor fixed pivot bracket. Door falls closed by means of a hydraulic door closer concealed within the aluminium headrail (alternatively, the closer can be factory set to fall open).</p> <p>Divider: 37mm finished thickness consisting of a 25mm moisture resistant chipboard core, faced in high pressure laminate and finished to top and bottom edges. Two adjacent 5mm low-iron back painted toughened glass panels, bonded to each face. Suspended 8mm from the floor using concealed fixings (alternatively, the divider can be located in a floor channel).</p>	
wood veneer Real wood veneer backed with composite material to enable fabrication.	<ul style="list-style-type: none"> ● Matt ● Silk ● Relief ● Grained ● Unfinished ● Optional cross grain 		<p>Door: 42mm finished thickness consisting of a 40mm ultra lightweight MDF core, rebated first, hand-lipped and faced with wood veneer. Concealed fixings within the door allow attachment to stainless steel pivots, suspended from aluminium headrail and located onto floor fixed pivot bracket. Door falls closed by means of a hydraulic door closer concealed within the aluminium headrail (alternatively, the closer can be factory set to fall open).</p> <p>Divider: 27mm finished thickness consisting of a 25mm moisture resistant chipboard core, edged top and bottom, then faced with wood veneer. Suspended 8mm from the floor using concealed fixings (alternatively, the divider can be located in a floor channel).</p>	
metallic Metallic sheet bonded to MDF core, edge dependent on material.	<ul style="list-style-type: none"> ● Brushed stainless steel ● Patterned stainless steel ● Satin anodised aluminium ● Powder coated aluminium 		<p>Door: 43mm finished thickness consisting of a 40mm composite core panel, rebated first, hand-lipped in matching high pressure laminate and faced with 1.5mm stainless steel sheet. Concealed fixings within the door allow attachment to stainless steel pivots, suspended from aluminium headrail and located onto floor fixed pivot bracket. Door falls closed by means of a hydraulic door closer concealed within the aluminium headrail (alternatively, the closer can be factory set to fall open).</p> <p>Divider: 27mm finished thickness consisting of a 25mm moisture resistant chipboard core, faced with 1mm stainless steel sheet, folded on top and bottom edges. Maximum depth of dividing panel, without a butt joint in the face material, is 1500mm. With a butt joint, the divider depth can be up to 1980mm. Suspended 8mm from the floor using concealed fixings (alternatively, the divider can be located in a floor channel).</p>	
laminate Multiple layers of resin-impregnated high quality kraft papers.	<ul style="list-style-type: none"> ● High Pressure Laminate ● Extensive range of colours ● Wide selection of suppliers ● Colour match on request ● Digital prints ● Wood grains 		<p>Door: 42mm finished thickness consisting of a 40mm ultra lightweight MDF core, rebated first, hand-lipped and faced with high pressure laminate. Concealed fixings within the door allow attachment to stainless steel pivots, suspended from aluminium headrail and located onto floor fixed pivot bracket. Door falls closed by means of a hydraulic door closer concealed within the aluminium headrail (alternatively, the closer can be factory set to fall open).</p> <p>Divider: 27mm finished thickness consisting of a 25mm moisture resistant chipboard core, edged top and bottom, then faced with high pressure laminate. Suspended 8mm from the floor using concealed fixings (alternatively, the divider can be located in a floor channel).</p>	




typical layout


As shown in a run of four between walls including Sentry access panels with one open-out disabled cubicle.




Detail 1




Detail 4




Detail 2



Detail 5



Detail 3



Detail 6



thrislington cubicles

Product: Flow

Layout: Common details are shown, but the system is designed to be as adaptable as possible, and will fit almost any layout.

Detail 1: Wall hinge outward opening fascia

Detail 2: Wall close inward fascia

Detail 3: Centre hinge inward/close inward fascia

Detail 4: Divider to bracket fixing against a wall


Detail 5: Divider to bracket fixing against a sentry infill

Detail 6: Outward opening close fascia

ribbon

A floating wall of cubicles. Simply beautiful. Comprising of a stepped back stainless steel foot, fully engineered integral lock and concealed hydraulic door closer.

Ribbon is available in wood veneer, aluminium and high pressure laminate.



As seen in the Rockefeller Centre, New York.

ribbon



ribbon in wood veneer sentry in high pressure laminate trough in solid surface

ribbon

Features:


Non-visible full aluminium frame.
Standard height of 2100mm with 100mm floor gap.
Available up to 2500mm high.
31mm rebated doors to ensure flush finish.
Self-closing hydraulic door closer.
Pivoted door.
Stainless steel fittings.
Machined stainless steel lock with flush face plate.
Lock locates in post.
Emergency release.
10 year guarantee.

Available in:

- Wood Veneer
- Aluminium
- High Pressure Laminate






ribbon surfaces and finishes			k32 Specification: Overall cubicle height up to 2100mm with 100mm floor clearance. Available up to 2500mm high. Framework: Full anodised aluminium frame, with extruded headrail. Lock locates directly into vertical closing post, with integral full length buffer.
material	options	examples	
wood veneer Real wood veneer backed with composite material to enable fabrication.	<ul style="list-style-type: none"> ● Matt ● Silk ● Relief ● Grained ● Unfinished ● Optional cross grain 		<p>Door: 31mm finished thickness consisting of a 29mm ultra lightweight MDF core, rebated first, hand-lipped and faced with wood veneer. Concealed fixings within the door allow attachment to stainless steel pivot blocks, suspended from aluminium headrail and located onto a bottom pivot bracket. Door falls closed by means of a hydraulic door closer concealed within the aluminium headrail (alternatively, the closer can be factory set to fall open).</p> <p>Divider: 17mm finished thickness consisting of a 15mm moisture resistant chipboard core, edged top and bottom, then faced with wood veneer. Supported 100mm from the floor using an engineered 304 grade stainless steel foot, with height adjustment.</p> <p>Fascia: 62mm finished thickness consisting of a 12mm moisture resistant MDF core, edged first and faced with wood veneer, bonded to an aluminium extrusion.</p>
metallic Metallic sheet bonded to MDF core, edge dependent on material.	<ul style="list-style-type: none"> ● Satin anodised aluminium ● Brushed aluminium ● Powder coated aluminium 		<p>Door: 31mm finished thickness consisting of a 29mm ultra lightweight MDF core, rebated first, hand-lipped in matching high pressure laminate and faced in sheet aluminium. Concealed fixings within the door allow attachment to stainless steel pivot blocks, suspended from aluminium headrail and located onto a bottom pivot bracket. Door falls closed by means of a hydraulic door closer concealed within the aluminium headrail (alternatively, the closer can be factory set to fall open).</p> <p>Divider: 17mm finished thickness consisting of a 15mm moisture resistant chipboard core, edged top and bottom in matching High Pressure Laminate, then faced in sheet aluminium. Supported 100mm from the floor using an engineered 304 grade stainless steel foot, with height adjustment.</p> <p>Fascia: 62mm finished thickness consisting of a 12mm moisture resistant MDF core, edged first in matching high pressure laminate, faced in sheet aluminium and bonded to an aluminium extrusion.</p>
laminate Multiple layers of resin-impregnated high quality kraft papers.	<ul style="list-style-type: none"> ● High Pressure Laminate ● Extensive range of colours ● Wide selection of suppliers ● Colour match on request ● Wood grains ● Digital prints 		<p>Door: 31mm finished thickness consisting of a 29mm ultra lightweight MDF core, rebated first, hand-lipped and faced with High Pressure Laminate. Concealed fixings within the door allow attachment to stainless steel pivot blocks, suspended from aluminium headrail and located onto a bottom pivot bracket. Door falls closed by means of a hydraulic door closer concealed within the aluminium headrail (alternatively, the closer can be factory set to fall open).</p> <p>Divider: 17mm finished thickness consisting of a 15mm moisture resistant chipboard core, edged top and bottom, then faced with High Pressure Laminate. Supported 100mm from the floor using an engineered 304 grade stainless steel foot, with height adjustment.</p> <p>Fascia: 62mm finished thickness consisting of a 12mm moisture resistant MDF core, edged first and faced with high pressure laminate, bonded to an aluminium extrusion.</p>




typical layout


As shown as a run of three with one large disabled cubicle.




Detail 1




Detail 4




Detail 2



Detail 5



Detail 3



Detail 6



thrislington cubicles

Product: Ribbon

Layout: Common details are shown, but the system is designed to be as adaptable as possible, and will fit almost any layout.

Detail 1: Wall Hinge Inward.

Detail 2: Fascia Close in / Fascia Hinge Inward.

Detail 3: Centre Hinge In / Close Inward.

Detail 4: Divider to bracket fixing against a wall

Detail 5: Divider to bracket fixing against a Sentry infill


Detail 6: Wall close inward

As seen in Paris Charles de Gaulle airport.

Our other new system, designed to change the way we see washroom space. The doors shift from being transparent to opaque as soon as the lock is engaged.

Built using the same technology behind our Oasis glass system, this is a revolutionary system from a revolutionary cubicle supplier.

oasis smart



oasis smart




To see oasis smart move go to www.thringtoncubicles.com/oasismart

oasis

Our groundbreaking floating cubicle. Along with intelligent placement of the foot we've suspended Oasis from the headrail to create what appears to be a fully aluminium framed cubicle that floats.

Available in wood veneer, stainless steel, aluminium, glass, compact grade and high pressure laminate.



As seen at the London Eye.

oasis



oasis in high pressure laminate slab in solid surface


oasis

Features:


Visible full aluminium frame.
Standard height of 2000mm with 150mm floor gap.
Available in certain finishes in full height version up to 2700mm with minimal floor gap.
Anti-fingertrap.
Lock locates into integral receiver.
Self-closing hydraulic door closer.
Pivoted door.
Stainless steel fittings.
Machined stainless steel lock.
Emergency release.
10 year guarantee.

Available in:

- Oasis Smart
- Glass
- Wood Veneer
- Stainless Steel
- Aluminium
- Compact Grade Laminate
- High Pressure Laminate






oasis surfaces and finishes			k32	
material	options	examples	Specification: Overall standard cubicle height 2000mm with 150mm floor clearance. Full height version available up to 2700mm tall with a 15mm floor gap.	Framework: Full aluminium frame. Extruded satin anodised headrail and vertical posts, with integral full height door closing buffer.
<p>glass</p> <p>Toughened glass, laminated or back painted to specified level of obscurity.</p>	<ul style="list-style-type: none"> ● Smart glass ● Laminated glass ● Low-Iron ● Clear ● Range of standard colours ● RAL colour match on request 		<p>Door: 10mm back painted toughened glass or 10.76mm toughened laminated glass, polished to all edges. Countersunk stainless steel pig-nose fixings to the face of the door allow attachment to stainless steel pivot blocks. Door suspended from aluminium headrail and located onto bottom pivot bracket, falls closed by means of a hydraulic closer concealed within the aluminium headrail (alternatively, the closer can be factory set to fall open).</p> <p>Divider: 10mm back painted toughened glass or 10.76mm toughened laminated glass, polished to all edges. Supported 150mm from the floor by an engineered 304 grade stainless steel foot, with height adjustment.</p>	<p>Fittings: Engineered 303 grade brushed stainless steel lock, fixed through the door to the face plate for added strength. Lock finger housed within the door, extends from the door edge and engages into the receiver, integral to the aluminium framework. Complete with emergency release facility and buffer. Divider fixed to back wall using concealed steel brackets, fastened by through-fixings. Stainless steel coat hook supplied as standard.</p>
<p>wood veneer</p> <p>Real wood veneer backed with composite material to enable fabrication.</p>	<ul style="list-style-type: none"> ● Matt ● Silk ● Relief ● Grained ● Unfinished ● Optional cross grain 		<p>Door: 32mm finished thickness consisting of a 30mm composite core, edged first and faced with wood veneer. Concealed fixings within the door allow attachment to dovetail pivot block. Door suspended from aluminium headrail and located onto a bottom pivot bracket, falls closed by means of a hydraulic closer concealed within the aluminium headrail (alternatively, the closer can be factory set to fall open). Complete with anti-finger trap clearance on pivot side of door.</p> <p>Divider: 18mm finished thickness consisting of a 16mm moisture resistant chipboard core, lip-edged first to top and bottom edges, then faced with wood veneer. Supported 150mm from the floor by an engineered 304 grade stainless steel foot, with height adjustment.</p>	
<p>metallic</p> <p>Metallic sheet bonded to MDF core, double folded on vertical edges.</p>	<ul style="list-style-type: none"> ● Brushed stainless steel ● Patterned stainless steel ● Satin anodised aluminium ● Powder coated aluminium 		<p>Door: 32mm finished thickness consisting of a 30mm composite core, edged top and bottom in matching high pressure laminate, then faced both sides with stainless steel sheet, each double folded to create vertical seam in the centre of the door edge. Concealed fixings within the door allow attachment to dovetail pivot block. Suspended from aluminium headrail and located onto a bottom pivot bracket, door falls closed by means of a hydraulic closer concealed within the aluminium headrail. Anti-finger trap clearance on pivot side of door.</p> <p>Divider: 18mm finished thickness consisting of a 16mm moisture resistant chipboard core, faced both sides with stainless steel sheet, each folded to create a horizontal seam in the centre of the divider edge. Supported 150mm from the floor by an engineered 304 grade stainless steel foot, with height adjustment.</p>	
<p>laminate</p> <p>Multiple layers of resin-impregnated high quality kraft papers.</p>	<ul style="list-style-type: none"> ● Compact Grade Laminate ● High Pressure Laminate ● Extensive range of colours ● Wide range of suppliers ● Colour match on request ● Wood grains ● Digital prints 		<p>Door: 12mm compact grade laminate, polished to all edges. Stainless steel fixings to the face of the door allow attachment to stainless steel pivot blocks. Door suspended from aluminium headrail and located onto bottom pivot bracket, falls closed by means of a hydraulic closer concealed within the aluminium headrail (alternatively, the closer can be factory set to fall open).</p> <p>Divider: 12mm compact grade laminate, polished to visible edges. Supported 150mm from the floor by an engineered 304 grade stainless steel foot, with height adjustment.</p>	




typical layout


Shown as a run of five in a corner, with Sentry access panels, one open-out disabled cubicle and one open-out ambulant cubicle.




Detail 1




Detail 2




Detail 3



Detail 4



Detail 5



Detail 6



thrislington cubicles

Product: Oasis

Layout: Common details are shown, but the system is designed to be as adaptable as possible, and will fit almost any layout.

Detail 1: Wall Hinge Outward Post

Detail 2: Centre Close Outward / Hinge Inward Assembly

Detail 3: Centre Hinge Inward / Close Inward Post

Detail 4: Divider to Bracket Fixing Against a Wall

Detail 5: Divider to Bracket Fixing Against a Sentry Infill


Detail 6: Corner Close Inward Post

As seen in Oslo Opera House.

A perfect marriage of elegance and smart thinking, Icon's clean lines are only made possible through its intelligent details, which include engineered aluminium fittings and self closing 27mm thick doors.

Available in glass, wood veneer, stainless steel, aluminium, compact grade and high pressure laminate.

icon



icon



icon in brushed aluminium sentry in glass slab in solid surface

Features:


Visible full aluminium frame.
Standard height of 2000mm with 150mm floor gap.
Available in certain finishes in full height version up to 2500mm with 100mm floor gap.
Anti-fingertrap.
Machined aluminium lock locates into post.
Concealed self-closing door closer in foot.
Pivoted door.
Aluminium fittings.
Emergency release.
10 year guarantee.

Available in:

- Glass
- Wood Veneer
- Stainless Steel
- Aluminium
- Compact Grade Laminate
- High Pressure Laminate






icon surfaces and finishes			k32									
material	options	examples	<p>Specification: Overall standard cubicle height 2000mm with 150mm floor clearance. Full height version available up to 2500mm tall with a 100mm floor gap.</p> <p>Framework: Full anodised aluminium frame, with extruded headrail and vertical posts. Lock locates directly into vertical closing post, incorporating full length buffer.</p>									
<p>glass</p> <p>Toughened glass, laminated or back painted to specified level of obscurity.</p>	<ul style="list-style-type: none"> Laminated glass Low-Iron Clear Range of standard colours RAL colour match on request 		<p>Door: 10mm back painted toughened glass or 10.76mm toughened laminated glass, polished to all edges. Flush aluminium studs secured through the door to the pivot brackets, allow the door to pivot between aluminium headrail and engineered aluminium foot. Foot incorporates height adjustment and sealed bearing providing self-closing mechanism (alternatively, the mechanism can be factory set to fall open). Complete with anti-finger trap clearance on pivot side of door.</p> <p>Divider: 10mm back painted toughened glass or 10.76mm toughened laminated glass, polished to all edges. Supported 150mm from the floor by an engineered anodised aluminium foot, with height adjustment.</p>									
<p>wood veneer</p> <p>Real wood veneer backed with composite material to enable fabrication.</p>	<ul style="list-style-type: none"> Matt Silk Relief Grained Unfinished Optional cross grain 		<p>Door: 27mm finished thickness consisting of a 25mm moisture resistant chipboard core, edged first and faced with wood veneer. Flush aluminium studs secured through the door to the pivot brackets, allow the door to pivot between aluminium headrail and engineered aluminium foot. Foot incorporates height adjustment and sealed bearing providing self-closing mechanism (alternatively, the mechanism can be factory set to fall open). Complete with anti-finger trap clearance on pivot side of door.</p> <p>Divider: 17mm finished thickness consisting of a 15mm moisture resistant chipboard core, lip-edged first to visible edges, then faced with wood veneer. Supported 150mm from the floor by an engineered anodised aluminium foot, with height adjustment.</p>									
<p>metallic</p> <p>Metallic sheet bonded to MDF core, double folded on vertical edges.</p>	<ul style="list-style-type: none"> Brushed stainless steel Patterned stainless steel Satin anodised aluminium Powder coated aluminium 		<p>Door: 27mm finished thickness consisting of a 25mm moisture resistant chipboard core, edged top and bottom in matching high pressure laminate, then faced both sides with aluminium sheet, each double folded to create vertical seam in the centre of the door edge. Flush aluminium studs secured through the door to the pivot brackets, allow the door to pivot between aluminium headrail and engineered aluminium foot. Foot incorporates height adjustment and sealed bearing providing self-closing mechanism (alternatively, the mechanism can be factory set to fall open). Complete with anti-finger trap clearance on pivot side of door.</p> <p>Divider: 17mm finished thickness consisting of a 15mm moisture resistant chipboard core, lip-edged first to visible edges with a matching high pressure laminate, then faced with aluminium sheet. Supported 150mm from the floor by an engineered anodised aluminium foot, with height adjustment.</p>									
<p>laminate</p> <p>Multiple layers of resin-impregnated high quality kraft papers.</p>	<ul style="list-style-type: none"> Compact Grade Laminate High Pressure Laminate Extensive range of colours Wide range of suppliers Colour match on request Wood grains Digital prints 		<p>Door: 12mm compact grade laminate, polished to all edges. Flush aluminium studs secured through the door to the pivot brackets, allow the door to pivot between aluminium headrail and engineered aluminium foot. Foot incorporates height adjustment and sealed bearing providing self-closing mechanism (alternatively, the mechanism can be factory set to fall open). Complete with anti-finger trap clearance on pivot side of door.</p> <p>Divider: 12mm compact grade laminate, polished to visible edges. Supported 150mm from the floor by an engineered anodised aluminium foot, with height adjustment.</p>									




typical layout


As shown as a run of four with one large stepped out disabled cubicle.




Detail 1




Detail 4




Detail 6



Detail 2



Detail 5



Detail 3



thrislington cubicles

Product: Icon

Layout: Common details are shown, but the system is designed to be as adaptable as possible, and will fit almost any layout.

Detail 1: Wall Close Inward Post

Detail 2: Fascia Close Outward Post

Detail 3: Wall Hinge Inward Post (Fitted to divider panel)

Detail 4: Divider to Bracket Fixing

Detail 5: Centre Hinge Inward / Close Inward Post

Detail 6: Wall Hinge Outward Post

As seen in Denstone College,

polo

Value engineered perfection. Our most cost effective cubicle still has the standard Thrislington features that other cubicles in its price range can only dream about.

Available in compact grade and high pressure laminate.



polo



polo in compact grade laminate sentry in compact grade laminate fusion in compact grade laminate

polo

Features:

Visible powder coated aluminium frame.
Standard height of 2000mm with 150mm floor gap.
Available in full height version up to 2400mm with 28mm floor gap.
Anti-fingertrap.
Machined painted aluminium lock locates into post.
Rise and fall self-closing door mechanism located in foot.
Pivoted door.
Powder coated aluminium fittings.
Emergency release.
10 year guarantee.


Available in:

- Compact Grade Laminate
- High Pressure Laminate






polo surfaces and finishes			k32	
material	options	examples	Specification: Overall cubicle height 2000mm with 150mm floor clearance. Full height version available up to 2400mm with a 28mm floor gap.	Fittings: Painted aluminium lock, fixed through the door to the face plate for added strength. Sacrificial hard nylon shear tip to the lock finger, which locates directly into the vertical closing post. Complete with emergency release facility. Divider fixed to back wall using extruded powder coated aluminium brackets secured using through-fixings. Powder coated aluminium coat hook supplied as standard.
<p>laminate</p> <p>Multiple layers of resin-impregnated high quality kraft papers.</p>	<ul style="list-style-type: none"> ● Compact Grade Laminate ● High Pressure Laminate ● Extensive range of colours ● Wide range of suppliers ● Colour match on request ● Wood grains ● Digital prints 		<p>Framework: Full powder coated aluminium frame in specified finish, including extruded aluminium headrail and vertical posts. Lock locates directly into vertical closing post, including buffers.</p>	<p>Door: 19mm finished thickness consisting of 17mm moisture resistant chipboard core, faced with High Pressure Laminate and edged all round with 2mm PVC/ABS tape to match framework finish. Extruded through-fixed aluminium brackets allow the door to pivot between aluminium headrail and floor fixed foot. Foot incorporates a rise and fall closing mechanism and includes height adjustment. Complete with anti-finger trap clearance on pivot side of door.</p> <p>Divider: 19mm finished thickness consisting of 17mm moisture resistant chipboard core, faced with High Pressure Laminate and finished to all visible edges with 2mm PVC/ABS tape to match framework finish. Supported 150mm from the floor by a powder coated aluminium foot, with height adjustment.</p>
<p>frame colour</p> <p>Powder coated aluminium framework with accessories to colour match.</p>	<ul style="list-style-type: none"> ● RAL 7011 ● RAL 7035 			

This is a small range of the extensive selection of the finishes available. All colours are representative. We recommend you ring for a sample.




typical layout


Shown as two in-line cubicles.




Detail 1




Detail 2




Detail 3



Detail 4



Detail 5



Detail 6



thrislington cubicles

Product: Polo

Layout: Common details are shown, but the system is designed to be as adaptable as possible, and will fit almost any layout.

Detail 1: Fascia bracket fixing to Sentry infill

Detail 2: Divider Bracket Fixing Against A Wall

Detail 3: Fascia Close Inward Post

Detail 4: Wall Hinge Inward / Corner Hinge Inward Assembly

Detail 5: Wall Hinge Outward Post (not shown on layout)


Detail 6: Centre Close Outward / Hinge Inward Post (not shown on layout)

As seen in Kings Cross St Pancras Station, London.

sentry

The system that's elegant, with maintenance free access, but tough enough to withstand serious abuse.

Available in glass, wood veneer, stainless steel, aluminium, compact grade and high pressure laminate.



sentry




sentry in stainless steel flow in stainless steel slab in solid surface urinal screen in compact grade laminate

sentry












Features:
Full aluminium
framework.
Factory prefabricated
access panel system.
Up to 3000mm high.
Available for toilet
pans, urinals, wash-
hand basins or simply
wall panelling.
Hinged access
doors fastened by
concealed catches.
10 year guarantee.

Available in:

- Glass
- Wood Veneer
- Stainless Steel
- Aluminium
- Compact Grade Laminate
- High Pressure Laminate





sentry surfaces and finishes			k32	
material	options	examples	Specification: Fully pre-fabricated hinged access panel module up to 3000mm high. Overall depth from the rear of the framework to front face of panel is 87mm. The system is not designed to prevent water penetration. In a shower situation, we would recommend the use of sentry with Compact Grade Laminate panels.	
<p>glass</p> <p>Toughened back painted glass.</p>	<ul style="list-style-type: none"> ● Low-Iron ● Clear ● Range of standard colours ● RAL match on request 		<p>Framework: Full aluminium frame, factory assembled using extruded vertical posts and horizontal cross rails, manufactured to bespoke width and height and supported by zinc-plated mild steel adjustable feet. Frame locates into floor and ceiling channel and is braced to the back wall with aluminium angle, to a specified distance (standard is 300mm to the face of the panels). This framework fully supports the module and no other framework needs to be in place to enable the fitting of the system.</p>	
<p>wood veneer</p> <p>Real wood veneer backed with composite material to enable fabrication.</p>	<ul style="list-style-type: none"> ● Matt ● Silk ● Relief ● Grained ● Unfinished ● Optional cross grain 		<p>Access Panels: 22mm finished thickness consisting of 15mm moisture resistant chipboard/MDF core, finished on both faces with matching High Pressure Laminate, then edged with matching PVC/ABS tape, to accept a 5mm back painted toughened glass panel to front face. The standard configuration allows for 3 no panels per module, although this can be varied to suit a particular application. The size and positioning of all cut-outs for the sanitary ware and any other accessories, need to be confirmed by others, prior to the fabrication of the glass panels.</p>	
<p>metallic</p> <p>Metallic sheet bonded to MDF core, folded on vertical edges.</p>	<ul style="list-style-type: none"> ● Brushed stainless steel ● Patterned stainless steel ● Satin anodised aluminium ● Powder coated aluminium 		<p>Access Panels: 17mm finished thickness consisting of a 15mm moisture resistant chipboard/MDF core. Panels are edged first and then faced with wood veneer, with balancing backing laminate. The standard configuration allows for 3 panels per module, although this can be varied to suit a particular application. Cut-outs for the sanitary ware are undertaken on site, to allow for flexibility/tolerance. Additional cut-outs for other accessories are possible.</p>	
<p>laminate</p> <p>Multiple layers of resin-impregnated high quality kraft papers.</p>	<ul style="list-style-type: none"> ● Compact Grade Laminate ● High Pressure Laminate ● Extensive range of colours ● Wide range of suppliers ● Colour match on request ● Wood grains ● Digital prints 		<p>Access Panels: 17mm finished thickness consisting of a 15mm moisture resistant chipboard/MDF core. Panels are finished on top and bottom edges in a matching High Pressure Laminate and then faced with stainless steel sheet, folded around vertical edges. The panel is balanced with backing laminate. The standard configuration allows for 3 panels per module, although this can be varied to suit a particular application. Cut-outs for the sanitary ware are undertaken on site, to allow for flexibility/tolerance. Additional cut-outs for other accessories are possible.</p>	
<p>laminate</p> <p>Multiple layers of resin-impregnated high quality kraft papers.</p>	<ul style="list-style-type: none"> ● Compact Grade Laminate ● High Pressure Laminate ● Extensive range of colours ● Wide range of suppliers ● Colour match on request ● Wood grains ● Digital prints 		<p>Access Panels: 17mm finished thickness consisting of a 15mm moisture resistant chipboard/MDF core. Where vertical edges are square, the panels are edged first and then faced with High Pressure Laminate, with balancing backing laminate. Alternatively, vertical edges can be postformed. The standard configuration allows for 3 panels per module, although this can be varied to suit a particular application. Cut-outs for the sanitary ware are undertaken on site, to allow for flexibility/tolerance. Additional cut-outs for other accessories are possible.</p>	



Layout 1

Layout 3



Layout 4

Layout 2

Layout 5



thrislington cubicles

Product: Sentry

Layout: Common details are shown, but the system is designed to be as adaptable as possible, and will fit almost any layout.

Layout 1: Stepped Sentry between walls incorporating a return end.

Layout 2: Typical L-Shaped Accessible WC Sentry layout.

Layout 3: Low height Sentry with lid incorporating wall mounted wash hand basins (basins supplied by others).

Layout 4: Sentry between walls with urinals and modesty screen.

Layout 5: Low height Sentry with lid and Vanity Unit configuration.


Not to scale

We offer a range of different vanity units ideal for any specification and all designed to match perfectly with the rest of our range.

Available in kiln fused glass, solid surface, concrete, and both compact grade and high pressure laminate.

vanity units

As seen in the Aquatics Centre, London.



vanity units



slab in solid surface with matching black bowls oasis and fusion in a high pressure laminate wood effect

vanity units





Features:
Factory prefabricated.
Variety of profiles.
Optional access panels
to conceal pipework.
Supported by steel or
aluminium framework.
Available in a variety
of designs.
10 year guarantee.

Available in:
● Glass
● Granite
● Concrete
● Solid Surfaces
● Compact Grade Laminate
● High Pressure Laminate






slab in concrete



vanity units surfaces and finishes			k32
material	options	examples	
<p>glass</p> <p>Kiln fused safety glass.</p>	<ul style="list-style-type: none"> ● Clear glass ● Low-Iron ● Sandblasted or backpainted ● Colour match on request 		<p>Specification: Kiln fused 19mm toughened clear glass vanity top with integral glass bowl, sandblasted and finished with clearshield to protect the surface.</p> <p>Top can be supplied as clear or low-iron glass and can be back painted in a range of colours.</p> <p>Top can be supplied up to 2600mm in length, with a standard depth of 600mm and are normally installed 870mm from the finished floor level. Bowls to be 400mm in diameter (no overflow), drilled and rebated for waste with a depth of 150mm.</p> <p>Vanity top is supported by 8mm thick stainless steel bespoke cantilever brackets, with adjustable suction pad to underside of vanity top.</p>
<p>solid surface</p> <p>Fabricated and moulded to give seamless appearance.</p>	<ul style="list-style-type: none"> ● Extensive range of patterns ● Range of solid colours 		<p>Specification: Fabricated solid surface vanity top with standard downstand of 100mm. Can be supplied with an integrated solid surface bowl from a limited colour range, to create a seamless appearance.</p> <p>Alternatively, are able to accept under-mounted, surface mounted or counter-top wash hand basins (basins specified and supplied by others). Available at specified length and can be joined seamlessly on site.</p> <p>Standard depth is 600mm and tops are normally installed at a height of 870mm from finished floor level. These dimensions can be varied as required. As an option, a pre-fabricated vanity base with hinged panels can be supplied to sit underneath the top.</p>
<p>stone</p> <p>Solid stone polished and either moulded or cut.</p>	<ul style="list-style-type: none"> ● Granite ● Concrete 		<p>Specification: Concrete vanity top with standard downstand of 100mm, including integrated bowl. Able to accept under-mounted, surface mounted or counter-top wash hand basins (basins specified and supplied by others). Available up to a length of 2400mm with a standard depth of 600mm. Tops are normally installed at a height of 870mm from finished floor level. These dimensions can be varied as required. As an option, a pre-fabricated vanity base with hinged panels can be supplied to sit underneath the top.</p>
<p>laminate</p> <p>Multiple layers of resin-impregnated high quality kraft papers.</p>	<ul style="list-style-type: none"> ● High Pressure Laminate ● Compact Grade Laminate ● Extensive range of colours ● Colour match on request ● Digital prints ● Wood grains 		<p>Specification: Fully formed laminated vanity top with standard downstand of 100mm, postformed to leading edges, able to accept counter-top wash hand basin or surface mounted basin (basins specified and supplied by others). Available at specified length with joints required to suit sheet material and/or site accessibility. Where a joint is required, we would recommend that a solid surface vanity top is specified.</p> <p>Standard depth is 600mm and tops are normally installed at a height of 870mm from finished floor level. These dimensions can be varied as required. As an option, a pre-fabricated vanity base with hinged panels can be supplied to sit underneath the top.</p>





Layout 1





Layout 2




Layout 3



Layout 4



Layout 5



Not to scale



thrislington cubicles

Product: Vanity Units

Layout: Common details are shown, but the system is designed to be as adaptable as possible, and will fit almost any layout.

Layout 1: Slab vanity top in a corner supported on stainless steel cantilevered arms.

Layout 2: Slab vanity top between walls with base unit.

Layout 3: Freestanding Profile vanity top with base unit.


Layout 4: Kiln fused glass vanity top with integrated glass bowls, supported on stainless steel decorative brackets.

Layout 5: Jointed Trough in a corner with base unit.

fusion


Fusion, our hard wearing locker system is designed for both wet and dry areas and is fully DDA compliant. Its intelligent anti-vandal features not only make it tough, but it also looks the part.

Available in fully bespoke sizes in glass, wood veneer, aluminium and compact grade laminate.



As seen in the Aviva Stadium, Dublin.

fusion



fusion in glass

fusion

Features:







Aluminium body.
Standard height of 1800mm.
Various configurations, including z-lockers.
Variable depths and widths.
Full extruded integral door frames and hinges.
Large range of locking options.
Designed for wet and humid conditions.
Can work with a variety of different plinth options.
10 year guarantee.

Available in:

- Glass
- Wood Veneer
- Aluminium
- Compact Grade Laminate
- High Pressure Laminate



fusion surfaces and finishes			n10
material	options	examples	Specification: Fully assembled unit with aluminium locker body and door, supplied in a variety of height, width and depth combinations. Multiple lock options available. Application: Suitable for use in both wet and dry areas and can be situated in a variety of layouts, such as to a back wall, as a free-standing unit, back to back in an island configuration, or fitted into a recess.
<p>glass</p> <p>Toughened back painted glass.</p>	<ul style="list-style-type: none"> ● Low-Iron ● Clear ● Range of standard colours ● RAL match on request 		<p>Specification: Anodised aluminium studs on the outer face of the door, through-fixed into the continuous hinges for added strength, using stainless steel screws. As a standard, lockers are supplied with either hasp & clasp or cam locks. Alternatives are coin operated, card operated or digital locks. Cam, coin operated and card operated locks are supplied with two keys and a tag, which can be numbered. Flexible PVC straps can be supplied. With the exception of digital locks, an anodised aluminium faceplate is provided, which also can be numbered.</p> <p>Door: 10mm back painted toughened glass, polished to all edges.</p> <p>Body: 1mm mill finished aluminium sheet body with a radius to the internal corners to reduce dirt traps and pre-drilled holes for site fixing. Continuous spring loaded hinges locate into extruded aluminium profiles. Where layout results in an exposed end, a return panel can be supplied in a finish to match the doors.</p>
<p>wood veneer</p> <p>Real wood veneer backed with composite material to enable fabrication.</p>	<ul style="list-style-type: none"> ● Matt ● Silk ● Relief ● Grained ● Unfinished ● Optional cross grain 		<p>Door: 11mm finished thickness, consisting of 9mm plywood core, edged all round and then faced both sides in wood veneer.</p> <p>Body: 1mm mill finished aluminium sheet body with a radius to the internal corners to reduce dirt traps and pre-drilled holes for site fixing. Continuous spring loaded hinges locate into extruded aluminium profiles. Where layout results in an exposed end, a return panel can be supplied in a finish to match the doors.</p>
<p>metallic</p> <p>Aluminium sheet bonded to MDF core, edged in metallic laminate.</p>	<ul style="list-style-type: none"> ● Satin anodised aluminium ● Powder coated aluminium 		<p>Door: 11mm finished thickness, consisting of 9mm plywood core, edged all round in a matching laminate and then faced both sides in sheet aluminium.</p> <p>Body: 1mm mill finished aluminium sheet body with a radius to the internal corners to reduce dirt traps and pre-drilled holes for site fixing. Continuous spring loaded hinges locate into extruded aluminium profiles. Where layout results in an exposed end, a return panel can be supplied in a finish to match the doors.</p>
<p>laminate</p> <p>Multiple layers of resin-impregnated high quality kraft papers.</p>	<ul style="list-style-type: none"> ● High Pressure Laminate ● Compact Grade Laminate ● Extensive range of colours ● Colour match on request ● Digital prints ● Wood grains 		<p>Door: 12mm Compact Grade Laminate, polished to all edges.</p> <p>Body: 1mm mill finished aluminium sheet body with a radius to the internal corners to reduce dirt traps and pre-drilled holes for site fixing. Continuous spring loaded hinges locate into extruded aluminium profiles. Where layout results in an exposed end, a return panel can be supplied in a finish to match the doors.</p>



Layout 1

Layout 2

Not to scale



thrislington cubicles

Product: Fusion


Layout: Common details are shown, but the system is designed to be as adaptable as possible, and will fit almost any layout.

Layout 1: Fusion in a corner showing different tier configurations, including z-type.

Layout 2: Fusion lockers and bench between walls, supported on powder coated brackets.

accessories

Standard coat hook supplied with each cubicle shown to the right. Others are optional extras.



product	features	image	product	features	image
optional coat hooks	<ul style="list-style-type: none"> ● High quality stainless steel ● Door stop option 	<p>19E1001 19E1002 19E1003 19E1004 19E1005</p>	hand dryers	<ul style="list-style-type: none"> ● Five Year Warranty ● Auto resetting thermostat ● Automatic infra-red sensor ● Infra-red automatic ● Low energy usage 	<p>19E4001 19E4002 19E4003 19E4004</p>
soap dispensers	<ul style="list-style-type: none"> ● High quality stainless steel 	<p>19E2001 19E2002 19E2003 19E2004 19E2005</p>	toilet roll holders	<ul style="list-style-type: none"> ● 18/10 nickel stainless steel ● Satin or polished finish ● Left or right hand assembly 	<p>19E5001 19E5002 19E5003 19E5004</p>
combination units	<ul style="list-style-type: none"> ● Five Year Warranty ● Auto resetting thermostat ● Automatic infra-red sensor ● Low energy usage 	<p>19E3001 19E3002 19E3003 19E3004 19E3005</p>	toilet roll dispensers	<ul style="list-style-type: none"> ● 18/10 nickel stainless steel ● Welded corners - no sharp edges ● Inspection slot 	<p>19E6001 19E6002 19E6003 19E6004 19E6005 19E6006</p>
			grab bars	<ul style="list-style-type: none"> ● Satin or polished finish ● Compliant Doc-M pack 	<p>19E7001 19E7002 19E8001</p>

made in britain.
used worldwide.



Although all of our products are made and shipped from our base in the UK, we don't just supply the domestic market as we've shipped and installed our cubicles throughout the world in over 30 different countries and 100's of different locations.

Our head office is still in the United Kingdom, but as part of the Strata International Group we now have distributors throughout the world.

Thrislington Head Office
Prince William Avenue
Deeside
CH5 2QZ
United Kingdom

+44 1244 520677
sales@thrislingtoncubicles.com
international@thrislingtoncubicles.com

Thrislington US
38 Third Ave 100W
Charlestown Navy Yard
Boston, MA. 02129
USA

+1 617 681 6700
sales@thrislington-us.com

Thrislington Hong Kong
7/F Yen Sheng Centre
64 Hoi Yuen Road
Kwun Tong
Kowloon
Hong Kong

+852 2811 5253
hongkong@thrislingtoncubicles.com

Thrislington Qatar
Office No. 5
Ain Khalid Jn.
Salwa Road
PO Box 22155
Doha
Qatar

+974 4491 6136
qatar@thrislingtoncubicles.com

Thrislington UAE
Suite 242
European Business Centre
Dubai Investment Park
PO Box 33635
Dubai
UAE

+971 4813 5444
uae@thrislingtoncubicles.com

Thrislington Nigeria
Aries Block, Ground Floor,
Eleganza Plaza,
Apapa
Lagos
Nigeria

+234 8055 449 482
nigeria@thrislingtoncubicles.com

Thrislington Ireland
24 Tolka Valley Business Park,
Ballyboggan Road
Glasnevin
Dublin 11
Ireland

+353 1853 2222
ireland@thrislingtoncubicles.com

some of our jobs



Aberdeen University Library
 Aquatics Centre
 Assembly Rooms Edinburgh
 Birmingham Library & REP Theatre
 Birmingham New Street Station
 Birmingham Town Hall
 Bristol Civic Justice Centre
 Bullring Shopping Centre
 City of Westminster Courts London
 Co-operative Group HQ
 Cutty Sark
 ExCel
 Goldman Sachs Peterborough Court
 John Rylands Library
 Kings Cross Station
 Liverpool John Lennon Airport
 London Eye

London South Bank University
 Lymington Yacht Haven Marina
 Manchester Town Hall
 Museum of Science & Industry
 Neasden Mandir
 NEC Birmingham
 New Museum of Liverpool
 Olympic Velodrome
 Oriol Mostyn Gallery
 Prince of Wales Theatre
 Rambert Dance Studio
 Royal Liver Building
 Sea City Museum
 Serpentine Sackler Gallery
 Snowdon Summit Café
 Somerset House
 St Georges Park

St Pancras International
 Wembley London Designer Outlet
 West Cheshire College Ellesmere Port
 Westminster Cathedral
 Bay Atlantic, Lagos
 British Council, Nairobi
 Ibis Hotel, Lagos
 Labadi Beach Hotel, Accra
 Standard Chartered Bank, Nigeria
 Yost Grube Hall, Lekki
 3 Connaught Road, Hong Kong
 Arcapita Bank, Singapore
 City Hall, Hong Kong
 Grand Lisboa Hotel, Macau
 Housing Authority HQ, Hong Kong
 Science Park, Hong Kong
 Apple Store, Amsterdam

Apple Store, Lyon
 Apple Store, Strasbourg
 Centrum Cerny Most, Prague
 Charles de Gaulle Airport, Paris
 Horizon Serono, Geneva
 Oslo Opera House
 Oslo Shopping Centre
 Silber Palais, Germany
 University of Oslo
 ADNEC Feature Tower, Abu Dhabi
 Arcapita Bank, Manama
 Doha Convention Centre
 Princess Nora University
 Qatar Foundation
 Queen Alia International Airport
 World Trade Centre Qatar
 Barclays Centre New York

Broad Museum, Los Angeles
 California Memorial Stadium
 Capital Group, New York
 Google Project, Washington DC
 Harvard University, Art Museum
 Iris - Bill Gates Foundation, Seattle
 Isabella Stewart Gardner Museum
 KPF Offices, New York
 Legal Sea Foods, Boston
 Lincoln Centre Alice Tully Juilliard
 MoDA, Georgia
 Morgan Stanley New York
 Novartis 230 Park Avenue Project, New York
 O'Hare Airport, Chicago
 Skidmore Owings & Merrill, New York
 Texas Stadium

City Hall, Hong Kong
 Grand Lisboa Hotel, Macau
 Housing Authority HQ, Hong Kong
 Science Park, Hong Kong
 Apple Store, Amsterdam
 Apple Store, Lyon
 Centrum Cerny Most, Prague
 Charles de Gaulle Airport, Paris
 Horizon Serono, Geneva
 Oslo Opera House
 Oslo Shopping Centre
 Silber Palais, Germany
 University of Oslo
 ADNEC Tower, Abu Dhabi
 Arcapita Bank, Manama
 Doha Convention Centre
 Princess Nora University, Saudi Arabia
 Qatar Foundation
 Queen Alia International Airport
 World Trade Centre, Qatar
 Barclays Centre New York
 Broad Museum, Los Angeles
 California Memorial Stadium
 Capital Group, New York
 Darrell K Royal Texas Memorial Stadium
 Google Project, Washington DC
 Harvard University Art Museum
 Iris Bill Gates Foundation, Seattle
 Isabella Stewart Gardner Museum, Boston
 KPF Offices, New York
 Legal Sea Foods, Boston
 Lincoln Centre Alice Tully Juilliard, New York
 MoDA, Georgia
 Morgan Stanley, New York
 Novartis Park Avenue, New York
 O'Hare Airport, Chicago
 Skidmore Owings and Merrill, New York

LASER
build

mecenas 
Trienal de
Arquitectura
de Lisboa

Rua Nova de Real, 201 R/c
4470-632 Moreira | Maia | Portugal

Tel. (+351) 229 480 271
Fax: (+351) 229 480 272
info@laserbuild.pt

www.laserbuild.pt

