





VALUE, REALISED.

Realise your vision and make it last. With the right products, resources and support, your next project can look great for years to come.

NEW PRODUCTS



B-824
SureFlo™ Automatic
Counter-Mounted
Liquid Soap Dispenser
Uses bulk liquid soap
for significant savings.
Page 8



B-3725
TrimLineSeries
Recessed Hand Dryer
Ideal for prestige and
upscale facilities.
Page 28



B-38031

TrimLineSeries™ Paper
Towel Dispenser, Warm Air
Hand Dryer and Waste Bin
3-in-1 Combination Unit
Space-saving design with
economical function.
Page 16



B-7125

InstaDry[™] Jet Dryer The industry's most sustainable jet dryer. Page 28



Extended Cubicle Collection

Add convenience and style to any cubicle.
Page 36



Extended TrimLineSeries Accessories

New surface-mounted design options.

Pages 23, 31, 37, 42



B-635

Klutch Mobile
Device Holder
Holds devices safely
and securely.

Page 46


CONTENTS


2	Integrated Accessory Series
4	Restroom Accessories
6.	Soap Dispensers
12.	Combination Units
20	Paper Towel Dispensers
26	Hand Dryers
30	Waste Bins
32.	Mirrors
34	Toilet Compartment Accessories
36.	Cubicle Collection
37.	Toilet Tissue Dispensers
40	Grab Bars
42	Sanitary Bins
43	Seat Cover Dispensers
44	Specialty Accessories
46	Bathroom Accessories
48	Childcare Accessories
51.	NEW Healthcare Accessories
52.	Why Bobrick?

LEGEND









INDEX

Product	Pages	
B-165 Series	-	3974-25013, 25
B-1658 Series		B-39846
204-2		B-406310
262-130*		B-411210
B-2012		B-420747
B-2111		B-422143
B-220816		B-426222
B-221		B-428837
B-254		B-435442
B-262		B-43644
B-26607		B-436914
B-26627		B-438837
B-268		B-43944*14
B-270		B-4998*41
B-277		B-5051651
B-279		B-52622
B-2888*		
		B-53231
B-2890		B-54136
B-2892		B-54236
B-290 Series*		B-54336
B-2908 Series		B-54436
B-293 Series*		B-54547
B-297		B-54636
B-29744		B-54736
B-3013		B-54836
B-318		B-54936
B-35139		B-580641
B-35303		B-58061641
B-35633		B-5861641
B-35643		B-63546
B-3574		B-669939
B-3588	37	B-67147
B-35883	37	B-67647
B-359	23	B-68047
B-359039	23	B-680640
B-3644		B-68137 40
367-60	13	B-6861640
368-60	13	B-69938
369-130*	24	B-699938
B-36903	15	B-712528
B-3725*	28	B-712829
B-3803	15	B-71529
3803-130*	24	B-718829
B-38031*	16	B-77829
B-38033	17	B-781651
B-38034	17	B-822 Series10
B-3888	38	B-823 Series* 9
B-39003	18	B-824*8
39003-130*	24	B-918116 Series51
B-3944	18	KB101-0050
3944-52	13	KB110-SSRE49
3944-130*	24	KB111-SSRE49
B-3961*	19	KB200-00*50
3961-50	13	KB200-01SS49
B-3974	19, 25	KB208-0150

^{*}Patent or patent pending. For patent information, please visit bobrick.com/patents.

For Additional Products, Tools & Documentation

For Technical Data Sheets, Guide Specifications, CAD Files, BIM Objects, Installation Instructions and more, visit Bobrick online.

bobrick.com Corporate (US)

bobrick.co.uk Englishbobrick.de Germanbobrick.la Spanish



DESIGN INTEGRATED ACCESSORY SERIES



TrimLineSeries[™]

TrimLineSeries features a contemporary minimalist design, manufactured with satin-finish type 304 stainless steel. The low-profile TrimLineSeries warm air hand dryer extends the Series and supports inclusive design for accessibility compliance. TrimLineSeries features 90° angles on all exterior and interior corners and openings. Flanges are concealed for additional design simplicity.

Flush-mounted, rectangular doors and openings.



© 2018 BRE Group. "BREEAM Societe Generale 1 Bank Street Exterior." Creative Commons License: CC BY-ND 2.0 https://www.flickr.com/photos/brewatford/44156437650



ClassicSeries™

A seamless flange is the visual trademark of ClassicSeries, our most comprehensive selection of washroom accessories. ClassicSeries accessories feature satin-finish type 304 stainless steel throughout, whilst being engineered for the economic demands of price-sensitive projects.

ConturaSeries[™]

ConturaSeries sets the bar for design integrity and quality. ConturaSeries towel dispensers feature the TowelMate™ paper saving system, which limits paper delivery to one towel at a time. This eliminates towel bunching and waste, saving 20% or more in paper towels, preserving the environment and lowering operating costs. ConturaSeries waste bins include LinerMate™ bin liner retainers, which provide a neat, flush appearance with no unsightly bag overhang. ConturaSeries is manufactured with satin-finish type 304 stainless steel.





Classic beveled flanges, hemmed edges, piano hinges.





Seamless monoform draws, flush locks, precise fit and finish.



RESTROOM ACCESSORIES



GLOBAL PRODUCT CATALOGUE





What makes an effective soap dispenser specification?

The right soap dispenser should meet the needs of your building's unique traffic. It should save time and money for the building owner, while minimising consumables usage—all while providing durable, long-lasting functionality. In addition, they should not lock the building owner into lengthy and costly commitments to proprietary soap cartridges. Bobrick soap dispensers address these challenges with a range of automatic, manual, liquid and foam bulk soap options.
















AUTOMATIC OR MANUAL?

Although the no-touch restroom is quickly becoming industry standard, automatic accessories are not a universal solution. Some projects may benefit from manual operation.





Benefits

- Enhances hygiene, reduces crosscontamination
- Controls soap usage with portion control
- Creates a seamless, modern experience

Ideal Applications

- Prestige or high-end buildings
- Low to medium traffic facilities
- Washrooms with other touch-free accessories, especially faucets

Benefits

- No batteries or power source required
- Foam soap offers greater hand coverage, discouraging excessive usage
- More mounting options

Ideal Applications

- Buildings with limited janitorial staff or resources
- High-traffic facilities
- Projects with stringent capital budgets







SureFlo Automatic Counter-Mounted Soap Dispenser

More robust construction and easier installation ensure longer life for greater savings. Top-filling, countermounted, sensor-activated soap dispensers. Chrome finish for design continuity. Use of non-proprietary bulk liquid soaps for significant cost-in-use savings. Post-consumer waste reduction by 57% versus cartridges contributes to sustainability. Patented.







DESIGNER'S NOTE

The B-824's architectural design and hygienic function make it ideal for high-end applications and prestige buildings.



NEW B-823 Series

Manual Foam Counter-Mounted Soap Dispensers

Top-filling, counter-mounted foaming soap dispensers for ease of maintenance and labour savings. Vandal-resistant locking cover and spout. Corrosion-resistant. Bright-polished spout, cover and escutcheon. High-impact-resistant ABS body and shank. Shatter-resistant polyethylene container. Patented.



	B-823	B-8231
Capacity (litres)	1.0	0.6
Spout Length	100	100
Max Mounting Thickness	100	100
	B-8236	B-82316
Capacity (litres)	B-8236 1.0	B-82316 0.6
Capacity (litres) Spout Length		





Top-filling, counter-mounted liquid soap dispensers for ease of maintenance and labour savings. Bright-polished, vandal-resistant locking cover and spout. High-impact resistant body and shank.

	B-822	B-8221
Capacity (litres)	1.0	0.6
Spout Length	100	100
Max Mounting Thickness	100	25
	B-8226	B-82216
Capacity (litres)	B-8226	B-82216 0.6
Capacity (litres) Spout Length		



B-4112 ConturaSeries

Surface-Mounted Soap Dispenser

Corrosion-resistant valve dispenses commercially marketed all-purpose hand soaps. Container is satinfinish stainless steel. Capacity: 1.2L. Soap refill window. Concealed wall fastening. Vandal resistant.

	Unit
Width	178
Height	156
Depth Wall to Push-button	84
Accessibility Mounting Height	1245



B-2012Automatic Wall-Mounted Soap Dispenser

No-touch activation promotes hygiene. Satin-finish stainless steel is durable and coordinates with other Bobrick accessories. Bulk-fill 850ml reservoir provides savings compared to proprietary cartridges. Dispenses hand sensitizers and surgical soaps. Easily installs.

B-2013, which dispenses foam soap, is also available.

	Onit
Width	108
Height	242
Depth	107



B-4063 ConturaSeries

Recessed Soap Dispenser

Corrosion-resistant valve dispenses all-purpose hand soaps. Satin-finish stainless steel front with plastic soap vessel attached to back. Capacity: 1.5L. Soap refill window. Pulls out for maintenance.

	Unit	Wall Opening
Width	185	149
Height	162	140
Recess	98	102
Projection Wall to Push-button	41	N/A
Accessibility Mounting Height	1245	1230





B-26627 TrimLineSeries

Surface-Mounted Foam Soap Dispenser

Satin-finish stainless steel.
Accepts foaming soap cartridges or bulk-fill foaming soaps. Push activated with less than 22.2N.
Capacity: 500ml. Concealed wall fastening. Hinged housing with key lock and soap refill window. Vandal resistant.

	B-26627	B-26637
Width	96	96
Height	298	337
Projection	153	153
Capacity (litres)	0.5	1
Accessibility Mounting Height	1380	1420



B-2111
ClassicSeries
Surface-Mounted Soap
Dispenser

Vertical tank is satin-finish stainless steel. Corrosion-resistant valve dispenses commercially marketed all-purpose hand soaps. Capacity: 1.2L. Soap refill window. Concealed wall fastening. Hinged filter-top requires special key to open. Vandal resistant. B-2112, with horizontal tank, is also available.

	Offic
Width	178
Height	156
Depth Wall to Push-button	84
Accessibility Mounting Height	1245



B-26607 TrimLineSeries

Surface-Mounted Liquid Soap Dispenser

Satin-finish stainless steel.
Accepts liquid soap cartridges or bulk-fill soaps. Push activated with less than 22.2N. Capacity: 500ml. Concealed wall fastening. Hinged housing with key lock and soap refill window. Vandal resistant.

	B-26607	B-26617
Width	96	96
Height	298	337
Projection	153	153
Capacity (litres)	0.5	1
Accessibility Mounting Height	1380	1420



DESIGNER'S NOTE

Bobrick stainless steel soap dispensers are not designed to dispense alcoholbased hand sanitisers or iodinebased surgical soaps. To help prevent corrosion and extend the service life of B-2111, B-2112 and B-4112 soap dispensers, use chloride-free and phneutral liquid soaps.

Unit



Make the most of a limited footprint.

And how can you do so while still supporting your patrons' unique hand-drying and waste-disposal needs? Bobrick Combination Units offer flexibility in form and function, allowing patrons to fulfill various functions with one convenient unit. Recessed units make the most of limited space while supporting high-end design. Sustainable dispensing solutions economise paper towel usage, resulting in operating cost reduction and decreased maintenance expense. Durable construction means that you can rest assured that your specification will have a lasting impact.









INTERCHANGEABLE MODULES



Adapt To Hand-Drying Needs

A washroom may serve different patrons and traffic patterns over the course of the building's life cycle. This may require switching between different paper towel dispensing solutions.

Convertible series cabinets allow facility managers to change between folded, mechanical roll and automatic roll paper towel dispensers, without inconvenience or additional cost. Waste bin capacity can also be adjusted in the field without changing the cabinet.

Flexible Solutions

The following modules can be interchanged in **B-3974** (page 19), **B-3944** (page 18), **B-3961** (page 19) and their alternate models. Modules can also be used in many other manufacturers' similar cabinets.



3944-52Folded Towel
Dispenser Module





367-60 45.4L Waste Bin Module





3961-50
Touch-Free, Pull Roll
Towel Dispenser
Module



368-60 68.1L Waste Bin Module



IMPROVED 3974-250 Automatic Roll Towel Dispenser Module





B-43944 ConturaSeries

Recessed Paper Towel Dispenser/Waste Bin with TowelMate and LinerMate

Satin-finish stainless steel. Flush tumbler lock. Dispenses 600 C-fold or 800 multifold towels. Waste bin has 53.8L capacity. Removable front panel for easy cleaning. Includes TowelMate and LinerMate accessories. Patented.

(e) 	Unit B-43944	Unit B-43949	Wall Opening B-43944
Width	443	446	406
Height	1429	1432	1391
Recess	100	N/A	102
Projection	130	232	N/A
Accessibility Mounting Height	1555	1555	1530



B-4369 ConturaSeries

Recessed Paper Towel Dispenser/Waste Bin with TowelMate and LinerMate

Satin-finish stainless steel. Flush tumbler lock. Dispenses 350 C-fold or 475 multifold towels. Waste bin has 11.4L capacity. Removable front panel for easy cleaning. Includes TowelMate and LinerMate accessories. Patented.



	Unit B-4369	Unit B-43699	Wall Opening B-4369
Width	324	327	298
Height	711	714	676
Recess	100	N/A	102
Projection	64	168	N/A
Accessibility Mounting Height	1340	1340	1315



B-3803 TrimLineSeries

Recessed Paper Towel Dispenser/Waste Bin

Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses 600 C-fold, 800 multifold or 1100 single fold towels. Removable, leak-proof, 23.8L waste container.

(T)	Unit	Unit	Wall C	pening
	B-3803	B-38034	B-3803	B-38034
Width	330	330	292	292
Height	1400	1400	1362	1362
Recess	143	92	146	95
Projection	14	14	N/A	N/A
Accessibility Mounting Height	1400	1400	1430	1375





B-36903 TrimLineSeries

Recessed Paper Towel Dispenser/Waste Bin

Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses 300 C-fold or 400 multifold towels. Removable, leak-proof, 6.1L waste container. Cabinet does not lock.



	Unit	Wall Opening
Width	330	292
Height	791	749
Recess	92	95
Projection	14	N/A
Accessibility Mounting Height	1295	1270





NEW B-38031

TrimLineSeries

3-in-1 Recessed Paper Towel Dispenser, Automatic Hand Dryer and Waste Bin

Reduces towel usage up to 30% with TowelMate built in. Sustainable 900-watt high-performance hand dryer for reduced energy consumption and waste. Flush TrimLine space-saving design and robust satin-finish stainless steel construction, complementing washrooms from Class-A offices to fine restaurants. Door has 90° return. Dispenses 600 multifold or 450 C-fold paper towels. Removable, leak-proof, 46.8L waste container. Meets reach range requirements for Australian DDA, UK Doc M, US ADA and similar standards. Minimalistic styling with single-door design. Available in 115V and 230V versions. **B-38030** similar to B-38031, but with 13.7L waste container. Patented.



	B-38031	B-38030
Width	396	396
Height	1448	1448
Recess	195	100

B-38030	B-38031
362	362
141:	1412
102	202

Wall Opening

Wall Opening

Features & Benefits

Reduces towel usage, energy use and waste while providing a fast, comfortable hand dry.

- Economical: Patented TowelMate dispenses a single towel at a time eliminating bunching, reducing usage by up to 20%.
- Quiet & Efficient: Operates quietly and provides a comfortable, complete hand-dry.
- Sustainable: Patrons reduce consumption and waste by combining a 900-watt high performance dual-air hand dryer and a single paper towel.
- Compliant: Paper dispenser, air outlets and waste disposal meet reach range requirements for Australian DDA, UK Doc M, US ADA and similar standards.
- Durable: Robust type 304 stainless steel hinges provide long life, vandal resistance and easy maintenance.





B-38033 TrimLineSeries

Recessed Paper Towel Dispenser/Automatic Hand Dryer/Waste Bin

Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses 450 C-fold, 600 multifold or 850 single-fold paper towels. Removable leak-proof, 12.5L waste container. Hand dryer: 220-240V AC, 7 Amp, 1500-1700 Watts, 50/60 Hz, Single Phase, VDE approved and CE marked. **815969** similar to B-38033, but unit is narrower and taller.

	Unit B-38033	Unit 815969
Width	384	330
Height	1416	1829
Recess	143	143
Projection	14	14
Accessibility Mounting Height	1545	1740

Wall Opening		
B-38033	815969	
349	292	
1381	1794	
146	146	
N/A	N/A	
1520	1740	



B-38034 TrimLineSeries

Recessed Paper Towel Dispenser/Waste Bin

Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses 600 C-fold or 800 multifold towels. Removable, leak-proof, 14.4L waste container. **B-3803**, which also dispenses 1100 single-fold towels, with removable, leak-proof, 24L waste container, is also available.



	Unit	Unit	Wall Opening	
	B-3803	B-38034	B-3803	B-38034
Width	330	330	349	292
Height	1400	1829	1381	1794
Recess	143	143	146	146
Projection	14	14	N/A	N/A
Accessibility Mounting Height	1545	1740	1520	1740





B-39003 TrimLineSeries

Recessed Paper Towel Dispenser/Waste Bin

Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses 600 C-fold, 800 multifold or 1100 single-fold towels. Removable, leak-proof, 45.5L waste container.



	Unit	Wall Opening
Width	437	406
Height	1422	1391
Recess	194	200
Projection	14	N/A
Accessibility Mounting Height	1535	1510



B-3944 ClassicSeries


Recessed Convertible Paper Towel Dispenser/Waste Bin

Unit includes folded paper towel module and 45.4L waste bin module which can be interchanged with an automatic or touch-free roll towel module and 68.1L waste bin module. Seamless, beveled flange. Dispenses 600 C-fold or 800 multifold towels. Removable waste bin is locked into cabinet.



	Unit B-3944	Unit B-3942	Unit B-3947	Unit B-3949
Width	437	443	447	443
Height	1422	1429	1422	1429
Recess	100	50	100	N/A
Projection	105	158	208	208
Accessibility Mounting Height	1534	1534	1534	1534

Wall Op	Wall Opening			
B-3944	B-3942			
B-3947				
406	406			
1391	1391			
102	51			
N/A	N/A			
1510	1510			





B-3961 ClassicSeries

Recessed Convertible Paper Towel Dispenser/Waste Bin

Unit includes touch-free roll towel module and 45.4L waste bin module which can be interchanged with an automatic or folded towel module and 68.1L waste bin module. Seamless, beveled flange. Mechanism dispenses 305mm length per pull of non-proprietary roll paper towels. Accommodates 203mm wide, up to 203mm diameter rolls, 244mm long. Removable waste bin is locked into cabinet.



	Unit B-3961	Unit B-39617	Unit B-39619
Width	437	437	445
Height	1422	1422	1430
Recess	100	100	N/A
Projection	130	206	210
Accessibility Mounting Height	1400	1400	1430

Wall Opening		
B-3961	B-39617	
406	406	
1391	1391	
102	102	
N/A	N/A	
1375	1375	



B-3974 ClassicSeries

Recessed Convertible Automatic Roll Towel Dispenser/Waste Bin

Improved activation and delivery system are more user-friendly. Sensor-operated towel dispenser accepts non-proprietary roll paper towels 203mm diameter, 203mm wide, 244m long with 38 to 51mm diameter standard core. Accommodates stub roll up to 89mm diameter with automatic transfer. Battery or AC powered. Removable 45.4L waste bin is locked into cabinet.



	Unit B-3974	Unit B-3979	Unit B-39747
Width	437	445	437
Height	1422	1430	1422
Recess	100	N/A	100
Projection	130	235	206
Accessibility Mounting Height	1460	1485	1460

Wall C B-3974	pening B-39747
406	406
1391	1391
102	102
N/A	N/A
1435	1435



Save paper. Save money. Save labour.

An inappropriate paper towel dispenser specification—and an effective specification—can affect a washroom's operating efficiency for years. Bobrick Paper Towel Dispensers and the TowelMate paper towel-saving accessory are engineered to provide building owners with greater control over paper towel consumption and purchasing options, all while reducing waste and minimising labour expense associated with refilling and maintaining dispensing units.












ROLL OR FOLD?





Benefits

- More sustainable than folded paper towels in most buildings
- Can feature adjustable towel pull lengths, shorter second pull lengths
- Stub roll utilisation feature provides complete consumable usage at less replacement time

Ideal Applications

- Buildings where sustainable operation is important
- · High-traffic facilities
- Projects with stringent operating budgets

Benefits

- Can be dispensed one at a time with TowelMate accessory installed, reducing waste
- Faster dispensing of towels
- Dispensers may be concealed, countertop mounted or have minimal wall protrusion

Ideal Applications

- Washrooms where low-profile design is desired, but recessed roll dispensers are not viable
- Prestige buildings with low-to-medium traffic where a minimalistic design theme is preferred





B-4262 ConturaSeries

Surface-Mounted Paper Towel Dispenser with TowelMate

Satin-finish stainless steel. Top of cabinet equipped with key lock. Secured to cabinet with a full-length stainless steel piano-hinge. Dispenses 400 C-fold or 525 multifold towels. Cabinet slots indicate refill time. Includes built-in TowelMate. Patented.



~	Unit
Width	275
Height	343
Depth	124
Accessibility Mounting Height	1320



B-318 TrimLineSeries

Concealed Paper Towel Dispenser

Satin-finish stainless steel. Dispenses 600 C-fold or 900 multifold towels. Towels load into bottom of cabinet concealed behind wall or mirror; only the towel tray is visible.

	Unit	Wall Opening
Width	291	305
Height	457	617
Recess	109	114
Accessibility Mounting Height	1140	1140



B-526 TrimLineSeries

Countertop-Mounted Recessed Paper Towel Dispenser

Satin-finish stainless steel. Flange has 90° return. Towels load into top of dispenser. Dispenses 300 C-fold or multifold towels. Housing below countertop to conceal dispenser is not included.

	Unit	Countertop Opening
Width	324	311
Height	152	114
Recess	281	432
Projection	6	N/A



NEW B-359039 TrimLineSeries

Surface-Mounted Paper Towel Dispenser

Heavy-gauge stainless steel with all-welded construction. Removable skirt is Type 304 stainless steel. Accommodates 300 C-fold or 400 multifold towels. Door-swing limiter prevents damage to washroom accessories and walls.



	Unit
Width	325
Height	440
Depth	115
Accessibility Mounting Height	1270



B-262 ClassicSeries

Surface-Mounted Paper Towel Dispenser

Satin-finish stainless steel. Hemmed towel tray opening. Dispenses 400 C-fold 525 multifold towels. Door has key lock and piano-hinge. Cabinet slots indicate refill time.



	Unit
Width	275
Height	343
Depth	124
Accessibility Mounting Height	1320




B-359 ClassicSeries

Recessed Paper Towel Dispenser

Satin-finish stainless steel. Seamless, beveled flange. Dispenses 350 C-fold of 475 multifold towels. Door equipped with full-length stainless steel piano-hinge at bottom; swings down for easy filling.



	Unit	Wall Opening
Width	324	286
Height	437	397
Recess	102	102
Projection	5	N/A
Accessibility Mounting Height	1320	1295



TOWELMATE

Paper Towel-Saving Accessory

Eliminates the dispensing of handfuls of towels with the "Perfect Pull Rod" separating and dispensing individual C- or multifold towels. Patented TowelMate accessory installs in existing cabinets without tools and fits Bobrick dispensers and similar models of other manufacturers. Patented.



TowelMate Part No.	Models
3803-130	B-3803, B-38032
39003-130	B-39003, B-390034, B-369034
369-130	B-359, B-35903, B-369, B-36903, B-3699, B-359033, B-359039
3944-130	B-39034, B-380349, B-3942, B-3944, B-3947, B-3949
262-130	B-262, B-2620, B-2621, B-26212







39003-130



369-130



Reduces towel usage up to 20% by dispensing one towel at a time.





B-3974 ClassicSeries

Recessed Convertible Automatic Roll Towel Dispenser/Waste Bin





3974-250 Interchangeable Module



B-29744
Automatic Semi-Recessed
Roll Towel Dispenser
Surface-mounted B-2974
is also available.

Features & Benefits

- Converting from folded towels to roll towels saves 30%
- Open-market non-proprietary purchasing provides freedom from locked-in contract prices
- Adjustable lengths and stub roll utilisation for zero waste
- Sustainable type 304 satinfinish, 50%-75% recycled postindustrial stainless steel
- Durable fabrication, hygienic operation, accessibility-compliant

Color Indicator Lights

- Green: Ready to dispense
- · Red: Contact maintenance
- Orange: Low batteries*

*3974-57 AC adapter eliminates battery requirement

Patented.

Review Interchangeable Module options on page 13. Additional AutoRoll Dispenser options available at bobrick.co.uk.







The right hand dryer specification supports your vision.

For decades, hand dryers have become known for excessive noise levels, high energy usage, slow dry times and institutional design. However, Bobrick's line of Hand Dryers offers contemporary options that can eliminate these challenges across a range of building types. Support a high-end aesthetic with distinguished, low-profile designs. Take advantage of low-wattage operation to reduce energy expense. Specify a quiet model consistent with the tranquil experience that patrons may expect. And if you so desire, achieve all of these benefits while eliminating paper towels and associated waste completely.











BALANCING NOISE, ENERGY AND DESIGN

To ensure optimal use of hand dryers, it is essential to take a holistic approach to product selection. Before specifying a hand dryer, consider the following:



A **low-wattage** jet dryer can help mitigate the energy impact of hand dryers, especially in high-traffic environments.



Excess or unpleasant noise can negatively impact the patron experience. A hand dryer with a **low decibel (dBA) rating** can help ensure appropriate acoustics for your project.



Many hand dryers have an institutional aesthetic. **Low-profile stainless steel** units can elevate design.



Water splashing and puddles are common complaints associated with many hand dryers. A drying alcove can **catch and absorb water**, thereby reducing maintenance while improving safety and hygiene.

DESIGNER'S NOTE

Although green building standards, such as LEED and others throughout the world, are typically a primary focus of sustainability efforts, they do not address many operational issues. Approaching product selection from an operational standpoint can ensure authentic, long-term sustainability.



NEW

HAND DRYER INNOVATIONS

LOW-WATTAGE & LOW-PROFILE OPTIONS

NEW B-3725 TrimLineSeries

Recessed Hand Dryer

Recessed automatic hand dryer featuring low-profile design and a 150mm deep drying alcove to capture dripping water to create a more hygienic washroom that eases janitorial load. Operates at 70 dBA sound level with a sustainable 1.0 KW power rating. Installs in a 100mm wall depth. Patented.

Width	406
Height	1391
Depth	51

Unit





NEW B-7125 InstaDry Hand Dryer

Surface-mounted high-speed hand dryer with an energy consumption of only 200 watts, making it the most sustainable jet dryer on the market. The slim profile cover projects no more than 98mm from the finished face of wall to comply with accessible design guidelines. Touts a dry time of less than 12 seconds.

	Unit
Width	319
Height	274
Depth	98



DESIGNER'S NOTE

While the highly sustainable InstaDry hand dryer is ideal for high-traffic applications, such as transportation centres and stadiums, the Recessed Hand Dryer may be more appropriate for prestige facilities where design, noise and hygiene are priorities.



Unit

Unit

Unit



B-7188 TerraDry™

Surface-Mounted Hand Dryer

Bright-polished chrome die-cast aluminium cover. Operates at a mere 70 dBA. Slim 100mm depth is compliant with accessibility standards.

Width	258
Height	350
Depth	100



B-778 DuraDry™

Surface-Mounted Hand Dryer

Sleeker styling enhances washroom aesthetics. Bright-polished, chrome-plated cast aluminium cover. High-velocity output. Operates at a mere 72 dBA.

Width	266
Height	308
Depth	100



B-7128 TrimDry™

Surface-Mounted Hand Dryer

Durable, 0.9mm (22-gauge), type 304 satin-finish stainless stee cover with black plastic trim. Operates at 71 dBA.

steel	Width	350
	Height	345
	Depth	100



B-715 Elan™

Surface-Mounted Hand Dryer

Contemporary styling, satin-finish type 304 stainless steel cover. Automatic hand sensor.

	Offic
Width	295
Height	279
Depth	141

Sound Level Comparison of Bobrick's QuietDry™ Series with Brands X and D.

Brand	Bobrick QuietDry Series	Brand X	Brand D
Measured in Decibels (dBA)*	72 dBA 📢	()()()()() 83 dBA ()()()()() ()()()()	()()()()()()() 85 dBA()()()()()()() ()()()()()()()

^{*}TEST METHODOLOGY: Noise levels declared for all products are measured in a semi-reverberant laboratory setting with dryer mounted at the manufacturer's recommended height. Visit bobrick.com for additional test results.





B-277 ConturaSeries

Surface-Mounted Waste Bin with LinerMate

Satin-finish stainless steel. Top edges are hemmed and bottom of waste bin has recessed finger grip for safe handling. Includes LinerMate Bin Liner Retainer Accessory for managing disposable bin liners. Capacity: 48.3L. Patented.

	Unit
Width	359
Height	715
Depth	94



B-3644 ClassicSeries

Recessed Waste Bin

Satin-finish stainless steel. Seamless, beveled flange. Removable 45.4L bin locks into cabinet. Hooks hold optional vinyl liner.

	Unit	Wall Opening
Width	437	406
Height	778	743
Recess	100	102
Projection	105	N/A





B-43644 ConturaSeries

Recessed Waste Bin with LinerMate

Satin-finish stainless steel. Removable front panel for easy cleaning. Includes LinerMate Bin Liner Retainer Accessory for managing disposable bin liners. Capacity: 48.3L. Patented.

	L Laste	Wall
	Unit	Opening
Width	438	403
Height	705	667
Recess	98	102
Projection	129	N/A



B-268 ClassicSeries

Surface-Mounted Corner Waste Bin

Ideal for installation near exits where patrons use paper towels to assist door opening. Satinfinish stainless steel. Top and bottom edges hemmed for safety. Hooks hold furnished reusable vinyl liner. Capacity: 49.2L.

	Unit
Width	521
Height	584
Depth	321





NEW B-35633 TrimLineSeries

Recessed Waste Bin

Self-closing door secured with springloaded, full-length stainless steel piano hinge. Internal heavy-gauge stainless steel bin is removable for servicing. Capacity: 11.3L.

	Unit
Width	359
Height	715
Depth	94



NEW B-35643 TrimLineSeries

Recessed Waste Bin

Two tumbler locks, full-length stainless steel piano hinge, leakproof plastic waste container. Capacity: 45.4L.

	Unit
Width	440
Height	1018
Depth	193



B-532 TrimLineSeries Circular Waste Chute

Satin-finish stainless steel. Flat flange suitable for counter, recessed, or under-counter installation. Provides access to undercounter waste bin (not included).

	B-532	B-529
Outer Dia.	173	176
Inner Dia.	151	140
Recess	98	116
Projection	0.8	11

Unit

Unit

Countertop Opening B-532 B-529 Outer Dia. N/A Inner Dia. 153 Recess N/A Projection N/A N/A N/A



B-279 ClassicSeries

Surface-Mounted Waste Bin

Satin-finish stainless steel. Bottom edges hemmed for maximum safety. Hooks hold furnished reusable vinyl liner; removable for servicing. Capacity: 24.2L.

	Unit
Width	356
Height	457
Depth	153





B-290 Series

Welded-Frame Mirrors

One piece, roll-formed 19 x 19mm angle-frame. Type 304 stainless steel angle with satin finish. Corners heliarc welded, ground and polished smooth. Beveled frame edge at mirror for improved appearance. No. 1 quality, 6mm glass mirror; warranted against silver spoilage for 15 years. Galvanised steel back. Secured to concealed wall hanger with theft-resistant mounting. Patented.

	(B-290) 1830	1836	2430	2436	2448	2460	2472
Width	46	46	61	61	61	122	61
Height	76	91	76	79	122	152	183



B-165 Series

Channel-Frame Mirrors

One-piece, 13 x 13mm channel-frame. Type 430 stainless steel with bright-polished finish. Mitred corners. Frame screw permits easy replacement of glass. No. 1 quality, 6mm glass mirror warranted against silver spoilage for 15 years. Galvanised steel back. Secured to concealed wall hanger with theft-resistant mounting.

	(B-165) 1824	1830	1836	2430	2436	2448	2460	4836
Width	46	46	46	61	61	61	61	122
Height	61	76	91	76	91	122	152	91



B-293 Series

Fixed-Position Tilt Mirrors

Provide visibility for wheelchair users. Type 304 stainless steel, satin-finish frame with beveled edges provides gapless fit for improved appearance and safety. No. 1 quality, 6mm glass mirror electrolytically copper-plated. Extends 111mm from wall at top and tapers to 33mm at bottom. Mounting frame with tumbler lock is separate for easy replacement of glass. Patented.

	(B-293) 1830	1830	2436
Width	46	46	61
Height	76	91	91

Special-Order Custom Sizes

Series	B-290	B-165	B-293
Max. Width	366	224	122
Max. Height	183	183	91



B-1658 Series & B-2908 Series

Standard Size Tempered Glass Mirrors

Tempered mirrors are engineered for heavy-traffic, vandal-prone bathrooms in stadiums, outdoor recreation centres and low-supervision facilities such as parks and public toilets.

Tempered glass mirrors resist breakage and provide a measure of safety from broken glass, but differ in colour and reflective quality from standard glass mirrors. Bobrick uses the highest quality tempered glass mirrors. Modest distortion or heat-generated markings are normal in the tempered glass mirror manufacturing process. Therefore, Bobrick will not accept returns of tempered glass mirrors with random distortion or markings.





B-1658 Series

Standard Size Tempered Glass Channel-Frame Mirrors

Same frame as B-165 Series. 6mm tempered glass mirror.

	(B-1658) 1830	2436
Width	46	61
Height	76	91



B-2908 Series

Standard Size Tempered Glass Welded-Frame Mirrors

Same frame as B-290 Series. 6mm tempered glass mirror.

(B-2908) 1830		1836	2436
Width	46	46	61
Height	76	91	91

Special-Order Reflective Surfaces

Polished Stainless Steel, Tempered and Laminated Glass Mirrors resist breakage and provide a measure of safety from broken glass, but differ in colour and reflective quality from standard glass mirrors. Available on special order.


DESIGNER'S NOTES

- To specify mirrors, use Series Number desired followed by width, then height in inches.
- Framed mirrors are manufactured to overall dimensions and must be installed with width and height dimensions as ordered.
- For framed mirrors, provide minimum 25mm clearance at top and each side of mirror for mounting on wall hanger

TOILET COMPARTMENT **ACCESSORIES**



GLOBAL PRODUCT CATALOGUE









Featuring contemporary styling, all Cubicle Collection models share common elements such as threaded escutcheons and post diameters.



B-541 Spare Toilet Roll Holder



B-542 Coat Hook



B-543
Surface-Mounted
Toilet Tissue Dispenser
for Single Roll



B-544
Toilet Brush Holder



NEW B-546
Toilet Tissue Dispenser with Hood



NEW B-547
Double Toilet Tissue
Dispenser



NEW B-548
Double Toilet Tissue
Dispenser with Hoods



NEW B-549 Double Coat Hook





B-4288 ConturaSeries

Surface-Mounted Multi-Roll Toilet Tissue Dispenser

Satin-finish stainless steel unit with stainless steel dispensing mechanism. Flush key lock. Holds two rolls up to 133mm diameter (1800 sheets). Extra roll drops in place when bottom roll is depleted. Theftresistant, heavy-duty spindles.

	Unit
Width	154
Height	279
Depth	151
Accessibility Mounting Height	710



B-4388 ConturaSeries

Recessed Multi-Roll Toilet Tissue Dispenser

Satin-finish stainless steel unit with stainless steel dispensing mechanism. Flush key lock. Holds two rolls up to 133mm in diameter (1800 sheets). Extra roll automatically drops in place when bottom roll is depleted. Theft-resistant, heavy-duty spindles.

	Unit	Wall Opening
Width	192	159
Height	318	286
Recess	76	80
Projection	75	N/A
Accessibility Mounting Height	730	710



NEW B-3588 TrimLineSeries

Surface-Mounted Multi-Roll Toilet Tissue Dispenser

Satin-finish stainless steel. Door equipped with a tumbler lock keyed like other Bobrick washroom accessories. Theft resistant.

Width	345
Height	215
Depth	115
Accessibility Mounting Height	710

Unit

Unit



NEW B-35883 TrimLineSeries

Recessed Multi-Roll Toilet Tissue Dispenser

Satin-finish stainless steel. Door equipped with a tumbler lock keyed like other Bobrick washroom accessories. Theft resistant.

	Offic
Width	346
Height	215
Recess	100
Projection	4
Accessibility Mounting Height	635

	Wall Opening
Width	318
Height	187
Recess	102
Projection	N/A
Accessibility Mounting Height	630

TOILET TISSUE DISPENSERS





B-2888 ClassicSeries

Surface-Mounted Multi-Roll Toilet Tissue Dispenser

Satin-finish stainless steel unit with stainless steel dispensing mechanism. Holds two rolls up to 133mm diameter (1800 sheets). Extra roll drops in place when bottom roll is depleted. Theft-resistant, heavy-duty spindles. Patented.

	Unit
Width	154
Height	279
Depth	151
Accessibility Mounting Height	710



B-3888 ClassicSeries

Recessed Multi-Roll Toilet Tissue Dispenser

Satin-finish stainless steel unit with stainless steel dispensing mechanism. Door has flat face with protruding key lock. Holds two rolls up to 133mm diameter (1800 sheets). Extra roll automatically drops in place when bottom roll is depleted. Theft-resistant, heavy-duty spindles.

	Unit	Wall Opening
Width	192	159
Height	318	286
Depth	76	80
Recess	75	N/A
Accessibility Mounting Height	730	710



B-699

Recessed Toilet Tissue Dispenser with Hood for Two Rolls

Bright-polished stainless steel. Hoods protect paper. Chrome-plated plastic spindles hold rolls up to 130mm diameter (1500 sheets).

	Unit	Wall Opening
Width	345	298
Height	215	133
Depth	115	86
Accessibility Mounting Height	710	N/A



B-6999

Surface-Mounted Toilet Tissue Dispenser with Hood for Two Rolls

Bright-polished stainless steel. Hoods protect paper. Chromeplated plastic spindles hold rolls up to 130mm diameter (1500 sheets). **B-69997**, with satin finish, also available.

	Unit
Width	314
Height	157
Depth	121





Surface-Mounted Toilet Tissue Dispenser with Hood

Bright-polished stainless steel. Hoods protect paper. Chrome-plated plastic spindles hold rolls up to 130mm diameter (1500 sheets). **B-66997**, with satin finish, also available.

	Unit
Width	157
Height	157
Depth	121



B-2890

Surface-Mounted Single Jumbo Roll Toilet Tissue Dispenser

Satin-finish type 304 stainless steel. Equipped with key lock. Spindle holds one 254mm diameter roll with 76mm diameter core. Convertible for 55mm and 41mm diameter core rolls. Powder-coated mounting plate. Slot in door reveals tissue supply.

	Onit
Diameter	271
Depth	114



B-2892

Surface-Mounted Twin Jumbo Roll Toilet Tissue Dispenser

Satin-finish stainless steel. Equipped with key lock. Spindles hold two 254mm diameter rolls with 57mm diameter core rolls; convertible for 76mm diameter core rolls. Sliding access panel exposes one roll at a time, allows easy roll change-over. Wide viewing slot in door.

	Unit
Width	529
Height	289
Depth	135



Straight Grab Bar

Satin-finish stainless steel grab bar for bath/shower/toilet compartment. Snap flange.



Bar Diameter	38
Length	305
***************************************	457
	610
	762
	914
	1067
	1219

B-68137

Two-Wall Horizontal Grab Bar

Satin-finish stainless steel grab bar for bath/shower/toilet compartment. Snap flange.



Bar Diameter	38
Width	914
Length	1372

B-68616

Two-Wall Horizontal Grab Bar

Satin-finish stainless steel grab bar for bath/shower/toilet compartment. Snap flange.

6	-

Bar Diameter	38
Width	610
Lenath	914

DESIGNER'S NOTES

- Check with your local Bobrick distribution partner for regionally compliant products, including ADA, EN, DDA, Doc M and other standards.
- Clearance between wall and grab bar for B-6806 and B-5806 series is 38mm.
- Bar passes through flange and is heliarc welded to form single structural unit.
- Compliance with structural strength requirements: grab bars that provide 38mm clearance from the wall can support loads in excess of 408kg when properly installed.
- Mandrel bending process ensures uniform bar diameter around curves.
- All joints and supports are contour-cut and welded.
- Concealed anchors and fasteners available as an optional accessory.

*B-6806
38
Satin-Finish
*B-5806
*B-5806

* Peened non-slip gripping surface available. Add suffix .99 to model number.



Straight Grab Bar

Satin-finish stainless steel grab bar for bath/shower/toilet compartment. Snap flange.

Bar Diameter	38
Length	305
	457
	610
	762
	914
	1067
	1219



NEW B-580616

Straight Grab Bar

Vinyl-coated grab bar for bath/shower/ toilet compartment. Bars are corrosion resistant, zinc coated steel pipe with vinyl antibacterial, biocompatible, and warm-tothe-touch coating.

Bar Diameter	32
Length	457
***************************************	510
	914
	1057



B-58616

Two-Wall Horizontal Grab Bar

Satin-finish stainless steel grab bar for bath/shower/toilet compartment. Snap flange.

Bar Diameter	32
Width	610
Length	917



B-4998

Wall-Mounted Swing-Up Grab Bar

Satin-finish stainless steel grab bar for tub/shower/toilet compartment. Exposed mounting. Use B-4998.99 for version with peened gripping surface. Patented.

Bar Diameter	32
Bar Length	737
Mounting Plate Width	155
Mounting Plate Height	220







B-4354 ConturaSeries

Partition-Mounted Sanitary Bin

Satin-finish stainless steel. Mounts centred through toilet partitions. Self-closing doors pull down on both sides for access to disposal. Removable, leak-proof, 2.7L plastic bin.

	Unit	Partition Opening
Width	324	280
Height	279	240
Partition Thickness	13-22	N/A
Accessibility Mounting Height	762	N/A



B-270 ConturaSeries

Surface-Mounted Sanitary Bin

Satin-finish stainless steel. Cover is drawn, one-piece construction; secured to cabinet with full length stainless steel piano-hinge. 3.8L.

	Unit
Width	191
Height	254
Depth	97
Accessibility Mounting Height	762



B-35303 TrimLineSeries

Recessed Sanitary Bin

Satin-finish stainless steel. Door has 90° return, conceals flange. Self-closing panel covers disposal opening. Removable, leak-proof, 4.5L plastic bin.

	Unit	Wall Opening
Width	330	292
Height	481	438
Recess	92	95
Projection	14	N/A



NEW B-35139 TrimLineSeries

Surface-Mounted Sanitary Bin

Satin-finish stainless steel. Door equipped with magnetic catch and cable door-swing limiter. Removable, 2.3L steel bin.

	Unit
Width	205
Height	360
Depth	115



B-254 ClassicSeries

Surface-Mounted Sanitary Bin

Satin-finish stainless steel. Door has key lock. Self-closing panel covers disposal opening. Removable, leakproof, 4.5L plastic bin.

	Unit
- Width	271
Height	384
Depth	103





B-4221 Contura Series

Surface-Mounted Seat Cover Dispenser

Satin-finish stainless steel. Dispenses 250 single- or half-fold toilet seat covers. Fills from bottom.

	Unit
Width	400
Height	286
Depth	56
Accessibility Mounting Height	760



B-221 Classic Series

Surface-Mounted Seat Cover Dispenser

Satin-finish stainless steel. Dispenses 250 single- or halffold toilet seat covers. Fills from bottom.

	Unit
Width	400
Height	279
Depth	51
Accessibility Mounting Height	760



B-3574 ClassicSeries

Recessed Seat Cover
Dispenser, Sanitary Napkin
Disposal, Toilet Tissue
Dispenser

Satin-finish stainless steel. Seamless beveled flange. Mounts in side wall of single compartment. Capacity: 3.0L. Holds 500 toilet seat covers and two rolls of tissue. Theftresistant spindles. **B-357** for partition-mounted, **B-3579** for surface-mounted.

	Unit 3574	Unit 357	Unit 3579	Wall O 3574	pening 357
Width	437	437	437	406	394
Height	778	778	785	743	733
Overall Depth	106	110	106	102	N/A
Projection	5	40	105	N/A	N/A
Partition Thickness	N/A	13-51	N/A	N/A	N/A
Accessibility Mounting Height	1100	1100	1130	1075	1075



B-3013 TrimLineSeries

Recessed Seat Cover Dispenser

Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses 500 toilet seat covers.

	Unit	Wall Opening
Width	446	403
Height	332	291
Recess	64	70
Accessibility Mounting Height	1240	1220




SPECIALTY ACCESSORIES



GLOBAL PRODUCT CATALOGUE









Surface-Mounted Medicine Cabinet

All-steel cabinet and two fixed shelves with baked white enamel finish. Mirror: No. 1 quality, 3mm glass electrolytically copper-plated. Door has enameled steel piano-hinge and magnetic catch.

	Unit B-297	Unit B-397	Opening B-397
Width	359	403	356
Height	514	657	600
Depth	95	83	89
Projection	N/A	25	N/A
Accessibility Mounting Height	1495	1595	1625

VA/SII

Wall



B-398

Recessed Medicine Cabinet

Type 304 stainless steel, satin-finish.

Mirror: No. 1 quality, 6mm glass
electrolytically copper-plated. 15-year
guarantee against silver spoilage.

Door has full-length stainless steel
piano-hinge, magnetic catch and cable
doorstop. Four adjustable stainless steel
shelves. Cabinet may be inverted for
right- or left-hand door swing.

	Unit B-299	Unit B-398	Opening B-398
Width	432	432	387
Height	683	683	648
Depth	127	87	92
Projection	N/A	45	N/A
Accessibility Mounting Height	1630	1630	1655



NEW B-635

Klutch Mobile Device Holder

Unique stainless steel holder for storing mobile devices. Sleek, compact design "klutches" mobile devices for safety and fits with any décor. Easy installation makes it suitable for toilet compartments, common spaces or private areas. Integrated bag hook holds up to 300 lbs and can accommodate multiple items.

	Offic
Width	190
Height	229
Depth	60







Surface-Mounted Single Robe Hook

Bright-polished stainless steel. Flange is 51×51 mm. Projects 51mm from wall.



NEW B-4207 Series

Curved Shower Rods

Satin-finish curved shower rod fabricated from 20-gauge (1.0mm) stainless steel. Chrome-plated zinc swivel brackets.

	B-4207x60	B-4207x72
Diameter	25	25
Outward Curve (Ends to Center)	229	229
Length	1524	1829



B-545 Cubicle Collection

Surface-Mounted Towel Bar

Satin-finish stainless steel. Threaded flanges conceal mounting plates, provide snug fit into wall. Flanges have 50mm diameter, projects 33mm from wall. Available in 457mm and 610mm lengths. See page 36 for other Cubicle Collection models.



B-676

Surface-Mounted Towel Shelf with Towel Bar

Shelf 159mm wide, consists of four 8mm square tubes firmly mounted in support arms. 8mm square towel bar below shelf. 610mm length. Projects 216mm from wall.



B-680

Surface-Mounted Soap Dish

Bright-polished stainless steel. Drawn, one-piece soap dish welded to support arm and flange. Two ridges to support bar of soap and two drain holes. Unit 114mm wide, 51mm high; projects 86mm from wall.



204-2

Vinyl Shower Curtain

Opaque, matte white vinyl, 0.2mm thick, contains antibacterial and flame-retardant agents. Nickel-plated brass grommets along top. Bottom and sides are hemmed. Curtain 1067mm wide, 1829mm high. Requires 7 hooks, not included.



Bobrick is a proud parent of Koala Kare Products, the world's most recognised brand of Baby Changing Stations and commercial childcare products. Parents appreciate establishments that provide safe, sanitary amenities for their children, and Koala has redefined family-friendly accommodation through safety, compliance, peace of mind as well as recessed and stainless steel high-end design options. Microban™ antibacterial product protection, a Koala Baby Changing Station exclusive, helps keep Stations cleaner between cleanings.









DESIGNER'S NOTES

- All Baby Changing Station models (except KB208) equipped with built-in Sanitary Bed Liner Dispensers (liners sold separately).
- Many Koala Kare Baby Changing Station models comply with EN 12221-1/-2 European Standards (KB200-INB, KB200-SS-INB and KB208-INB only), ANSI S117.1 Accessible and Usable Buildings and Facilities, ASTM F2285-04 Standard Consumer Safety Performance Specification for Diaper Changing Tables for Commercial Use, ASTM G22 Antibacterial Standards, ADA Accessibility Standards for height (except KB101, KB110-SSRE and KB111), reach, projection, operation when correctly installed, as well as the TÜV Certification program (KB200, KB200-SS and KB208 only).





KB200-01SS

Koala Kare Horizontal Wall-Mounted Baby Changing Station with Stainless Steel Veneer

Grey polypropylene with heavy-duty 6-point mounting which supports 91kg with virtually no deflection from 90°. Concealed hardware, dual bed liner dispensers and bag hooks. Also in white granite (-05). Add suffix -INB to nodel number for units in Europe and the United Kingdom. Patented.

	Unit
Nidth	894
Height	565
Projection, Closed	102
Projection, Open	589



KB110-SSRE

Koala Kare Horizontal Recessed Baby Changing Station

Satin-finish stainless steel exterior with grey polyethylene interior. Smooth, concave changing bed with safety straps, liner dispenser, bag hooks and moulded instructions. Add suffix -INB to model number for units in Europe and the United Kingdom.

KB110-SSWM similar to KB110-SSRE, but surface-mounted.

	Unit (KB-110)-SSRE	Unit -SSWM	Wall Opening -SSRE
Width	940	892	902
Height	584	508	521
Recess	108	N/A	108
Projection, Closed	6	102	N/A
Projection, Open	381	483	N/A



KB111-SSRE

Koala Kare Vertical Recessed Baby Changing Station

Satin-finish stainless steel exterior with grey polyethylene interior. Smooth, concave changing bed with safety straps, liner dispenser, bag hooks and moulded instructions. Add suffix -INB to model number for units in Europe and the United Kingdom.

KB111-SSWM similar to KB111-SSRE, but surface-mounted.

	Unit (KB-111)-SSRE	Unit -SSWM	Wall Opening -SSRE
Width	616	565	562
Height	1003	902	905
Recess	102	N/A	102
Projection, Closed	38	133	N/A
Projection, Open	794	889	N/A





KB200-00

Koala Kare Horizontal Wall-Mounted Baby Changing Station

Cream polypropylene with heavy-duty 6-point mounting which supports 91kg with virtually no deflection from 90°. Concealed hardware, dual bed liner dispensers and bag hooks. Also in grey (-01), white granite (-05) and earth (-11). Add suffix -INB to model number for units in Europe and the United Kingdom. Patented.

	Unit
Width	894
Height	565
Projection, Closed	102
Projection, Open	589



KB208-01

Koala Kare Oval Wall-Mounted Baby Changing Station

Grey polyethylene with steel pivot rod secured in metal tube. 2 bag hooks. Also in Grey Granite (-12) and Sandstone (-14). Add suffix -INB to model number for units in Europe and the United Kingdom.

	Unit
Width	864
Height	533
Projection, Closed	102
Projection, Open	533



KB101-00

Koala Kare Vertical Wall-Mounted Baby Changing Station

Cream polyethylene. Smooth, concave changing bed with safety straps, integral liner dispenser, bag hooks and moulded instructions, including Braille. Also in grey (-01) and white granite (-05). Add suffix -INB to model number for units in Europe and the United Kingdom.

	Unit
Width	559
Height	902
Projection, Closed	133
Projection, Open	889





NEW B-918116 Series

Bariatric Folding Seats with Legs

Seat has three front swing-down zinc-plated steel legs with white vinyl antibacterial coating. Seat is high-pressure laminate with matte-finish, white-coloured surfaces. Can be folded up when not in use. Has strength to support 500kg when properly installed.

B-918116R for right-hand seat. B-918116L for left-hand seat.



NEW B-50516

Recessed Heavy Duty Specimen Pass-Through Cabinet

Satin-finish stainless steel cabinet with interlocking doors to prevent the opening of both doors at same time. Compliant with ICC/ANSI A117.1 for operation with one hand with less than 22.2N of force without tight grasping, pinching or twisting of the wrist.

	B-50516	B-50517
Width	343	343
Height	343	343
Depth	178	280
Wall Depth	76-152	76-254



NEW B-7816

Charting Station/Shelf

Satin-finish folding charting station constructed of 20 gauge (0.91mm), Type 304 stainless steel. Desk top supported by two articulating support arms that retract into a concealed location within the desk. Folds up to a compact, minimal profile. Suitable for writing, laptop computer or instrument storage.

	Unit
Width	560
Depth, Open	381
Height	406
Depth, Open	35



NEW B-220816

Pedal-Operated Waste Bin

Satin-finish stainless steel. Receptacle clamps hold disposable liner in place. Non-slip foot pedal enables hands-free opening. Included is a free infectious and hazardous waste adhesive label to identify refuse that requires special handling. Labels meet OSHA labeling requirements. Capacity: 30.3L. B-221216 similar to B-220816, but with 45.4L capacity.

	B-220816	B-221216
Width	288	335
Height	533	597
Depth	321	356



WHY BOBRICK?

PORTFOLIO OF VALUES

What makes Bobrick an industry leader? A legacy of commitment to solving the challenges that matter most to architects, building owners, facility managers and patrons.



Architects, developers and facility managers have selected Bobrick's performanceengineered washroom accessories with confidence for more than a century. As the market leader, we deliver building owner value through design excellence, compliance, sustainability and economical cost-in-use.



Three design-integrated series of accessories include ConturaSeries for prestige properties, TrimLineSeries for up-scale buildings and ClassicSeries for standard use and heavy-traffic projects. From Class A to education and healthcare, recessed and surface-mounted, we have your design.



Robust engineering and built-in maintainability are the standards for our products, providing long-lasting functionality. Reduced repair and replacement costs also deliver a positive impact on the operating budget.



Bobrick is at the forefront of the touch-free commercial restroom with automatic models to limit cross contamination. Our stainless products are easy to maintain and sanitise through regular cleaning. MicrobanTM Antimicrobial protection is a KoalaTM baby changing station exclusive.



Accessories fabricated of 50% - 70% post-industrial stainless steel contribute toward LEED International certification. Soap and towel dispensers are engineered to reduce consumables, thereby reducing the operating footprint of a given building.



Cost-in-use savings are also trademarks of Bobrick restroom accessories. Products are designed to control soap and paper towel usage, reduce labour and maintenance expense, and to be vandal-resistant. Savings calculators, available online, confirm the substantial savings and return on investment.



Non-proprietary dispensing of universal paper towels and bulk soap help building owners escape the high prices of consumable contracts common to closed system products. This facilitates open-market procurement and the ability to take advantage of a large variety of soap and towel options.



Bobrick is committed to offering the support you need to satisfy EN, DDA, Doc M, ICC/ANSI and other compliance standards throughout the world. Accessories are engineered to meet the latest accessibility requirements, such as wall protrusion, mounting heights, reach and operation. Bobrick gladly provides detailed consultation on compliant product selection and installation.



THE BOBRICK ADVANTAGE:

GLOBAL SPECIFICATIONS PROGRAM

Only Bobrick's global representatives can assist in global specifications and distribution fulfillment throughout the world.

HOW IT WORKS

Architectural Inception

Architects in major global centers work on large projects and specify Bobrick brands on overseas projects such as:

- Airports
- Five-Star Hotels
- Convention Centers
- Office Buildings
- Museums
- Shopping Malls
- Universities
- Hospitals

Bobrick can assist in writing and advising on appropriate specifications to meet the values you desire for your project.

Bobrick Engagement

Bobrick's global, regionally-based architectural representatives follow up on these global opportunities to assist in the specification and with distribution. Complex projects throughout the world can be managed by Bobrick's International team to ensure seamless fulfillment.

Our representatives can secure strong basis-ofdesign specifications and provide appropriate sourcing and fulfillment partners.

HAVE A PROJECT?

Let us assist you. **Contact Bobrick International at globalspecs@bobrick.com** or **1.818.392.1080.**



Hamad Airport, Qatar



Marina Bay Sands Hotel, Singapore



Maracanã Stadium, Brazil



Mumbai International Airport, India



National Convention Centre, Qatar



Bobrick International

Bobrick.com

Bobrick.co.uk

Bobrick.la

Bobrick.de

Europe	+44 (0)20 8366 1771	euoffice@bobrick.com
UK	+44 (0)20 8366 1771	info@bobrick.co.uk
Germany	0800.79.00.456	euoffice@bobrick.com
Spain	+34 609 791 484	euoffice@bobrick.com
Latin America	+1.954.755.8934	international@bobrick.com
Middle East	+971 (50) 1747386	infomea@bobrick.com
Australia	1800.353158	international@bobrick.com
Asia	+971 (50) 1747386	infomea@bobrick.com
Corporate	+1.818.764.1000	international@bobrick.com

Illustrations and descriptions herein are applicable to production as of the date of this catalogue. The manufacturer reserves the right to, and does from time to time, make changes and improvements in designs and dimensions.

For product warranty information, including warranty conditions and limitations for Bobrick Washroom Accessories, Koala Kare Products Baby Changing Stations and Child Protection Seats and other products, please visit bobrick.com.

Bobrick, Koala Kare and MICROBAN and other brand names are registered with the United States Patent and Trademark Offices and as trademarks in several countries throughout the world. For patent information, please visit bobrick.com/patents.

